European Journal of Orthodontics 14 (1992) 501–506

© 1992 European Orthodontic Society

European Journal of Orthodontics

Volume 14 (1992) Subject entries

Alveolar bone
Orthodontic magnets: effects on gingival epithelium and ... in monkeys 255
Angle Class II, division 2 malocclusion
No posterior mandibular displacement in ... malocclusion as revealed with electromyography and sirognathography 162
Anterior intrusive force
Effect of the vertical force component of Class II elastics on the ... of maxillary archwire 280
Anterior open bite
Stability of surgical correction of patients with Skeletal III and Skeletal II ..., with increased maxillary mandibular planes angle 198
Articulatory components of speech
Malocclusion traits and ... 302
Awareness
Perception of malocclusion in 11-year-old children: a comparison between personal and parental ... 350

Beagle dogs
The effects of horizontal tooth loading on the circulation and width of the periodontal ligament—an experimental study on ... 21
Bilateral corticotomies
... for correction of maxillary transverse discrepancies 110
Biology
... versus technology 1
Biometric
... study in the young pig 99
Bite-blocks
The effect of treatment of skeletal open bite with two types of ... 489
Buccinator muscle
An EMG study of the ... 339

Cephalometric study
A longitudinal three-dimensional ... using implants 417
Circulation
The effect of horizontal tooth loading on the ... and width of the periodontal ligament 21
Class II division 1 malocclusion
The treatment of severe 'gummy' ... using the maxillary intrusion splint 216
Class II elastics
Effect of the vertical force component of ... on the anterior intrusive force of maxillary archwire 280
CMD
Long-term effects of orthodontic treatment, including extraction, on signs and symptoms attributed to ... 16
Computerized tomography
The application of ... in cases of impacted maxillary canines 296
Corticotomies
Unilateral and bilateral ... for correction of maxillary transverse discrepancies 110
Cost-benefit analysis
Longitudinal study and ... of the effect of early treatment of posterior cross-bites in the primary dentition 173
Cranial base
... in subjects with dental and skeletal Class II 224
Craniofacial morphology
... in children with cystic fibrosis 147
Craniofacial skeletal maturation
Human prenatal palatal shelf elevation related to ... 26
Craniofacial structures
Dimensional variation of ... in relation to changing masticatory-functional demands 31
Craniomandibular disorders
A survey of ... in 800 15-year-olds 152
Curvature analysis
The analysis of profiles using ... 457
Cystic fibrosis
craniofacial morphology in children with ... 147
Cytotoxic effect
... of orthodontic appliances 47

Dental arch development
... in a set of triplets 273
Dental Class II
The cranial base in subjects with ... 224
Dento-alveolar changes
... as a result of headgear activator therapy related to different vertical growth patterns 140
Developmental disturbances
Ectopic eruption of maxillary first permanent molars and association with ... 369
Dimensional variation
... of craniofacial structures in relation to changing masticatory-functional demands 31
Distalization
... of maxillary first and second molars simultaneously with repelling magnets 264

Ectopic eruption
... of maxillary first permanent molars and association with other tooth and developmental disturbances 369
Electromyography
No posterior mandibular displacement in Angle Class II division 2 malocclusion as revealed with ... 162
EMG study
... of the masseter, buccinator, and mentalis muscles 339
Epidermal growth factor
Immunohistochemical localization of ... and its receptor during odontogenesis in the rat 333
Erasmus Project
The Final Report of the ... 85
Extraction
Long-term effects of orthodontic treatment, including ..., on signs and symptoms attributed to CMD 16

Facial attractiveness
The ranking of ... 483

Gingival epithelium
Orthodontic magnets: effects on ... and alveolar bone in monkeys 255
Glove use
... by orthodontists 246

Headgear activator therapy
Skeletal and dento-alveolar changes as a result of ... related to different vertical growth patterns 140
Herbst treatment
Long-term effects of ... in relation to normal growth development: a cephalometric study 285
Horizontal tooth loading
The effects of ... on the circulation and width of the periodontal ligament 21
Human mandible
Postnatal width changes in the internal structures of the ... 417

Immunohistochemical localization
... of epidermal growth factor and its receptor during odontogenesis in the rat 333
Impacted maxillary canines
The application of computerized tomography in cases of ... 296
Implants
A longitudinal three-dimensional cephalometric study using ... 417
Internal structures
Postnatal width changes in the ... of the human mandible 417

Jaws
Aspects on osseointegrated implants inserted in growing ... 99

Longitudinal study
... and cost-benefit analysis of the effect of early treatment of posterior cross-bites in the primary dentition 173
Lower arch
The effect of third molar removal on the size of premolar extraction spaces in the ... 445

Malocclusion
A survey of craniomandibular disorders in 800 15-year-olds. A follow-up study of children with ... 152
Perception of ... in 11-year-old children 350
Malocclusion traits
... and articulatory components of speech 302
Mandibular function
... before orthodontic treatment 54
Mandibular growth
A new look at ... 95
Mandibular mobility
Changes in ... after different procedures of orthognathic surgery 188
Mandibular prognathism
Skeletal stability after surgical correction of ... by vertical ramus osteotomy 117
Masseter muscle
An EMG study of the ... 339
Masticatory-functional demands
Dimensional variation of craniofacial structures in relation to changing ... 31
Maxillary archwire
Effect of the vertical force component of Class II elastics on the anterior force of ... 280
Maxillary first and second molars
Distalization of ... simultaneously with repelling magnets 264
Maxillary first permanent molars
Ectopic eruption of ... and association with other tooth and developmental disturbances 369
Maxillary intrusion splint
The treatment of severe 'gummy' Class II division 1 malocclusion using the ... 216
Maxillary mandibular planes angle
Stability of surgical correction of patients with Skeletal III and Skeletal II anterior open bite, with increased ... 198
Maxillary transverse discrepancies
Unilateral and bilateral corticotomies for correction of ... 110
Maxillo-facial morphology
The effects of the spring-loaded posterior bite-block on the ... 54
Mentalis muscle
An EMG study of the ... 339

Metallic implants
Long-term effect of rapid maxillary expansion studied in one patient with the aid of ... 427
Monkeys
Orthodontic magnets: effects on gingival epithelium and alveolar bone in ... 255
Muscle response
... to the oral-screen activator 339

Normal growth development
Long-term effects of Herbst treatment in relation to ... 285

Odontogenesis
Immunohistochemical localization of epidermal growth factor and its receptor during ... in the rat 333
Oral facial genetics
At the crossroads of ... 469
Oral-screen activator
Muscle response to ... 339
Orthodontic appliances
Cytotoxic effect of ... 47
Orthodontic approach
... in the treatment of skeletal open bite 207
Orthodontic magnets
...: effects on gingival epithelium and alveolar bone in monkeys 255
Orthodontic treatment
Long-term effects of ..., including extraction, on signs and symptoms attributed to CMD 16
Mandibular function before ... 61
Need and demand for ... in an adult Swedish population 359
The PAR Index: methods to determine outcome of ... in terms of improvement and standards 180
Orthodontic wires
A rationale for the selection of ... 240
Orthodontically tensioned rat molar periodontal ligament
A TEM analysis of tissue channels in normal and ... 433
Orthognathic surgery
Changes in mandibular mobility after different procedures of ... 188
Tomographic assessment of alterations of the temporomandibular joint after ... 3

Orthopaedic approach
... in the treatment of skeletal open bite 207
Osseointegrated implants
Aspects on ... inserted in growing jaws 99

Patient compliance
On the prediction of dentist-evaluated ... in orthodontics 463
Peer Assessment Rating Index
The development of the ...: reliability and variability 125
...: methods to determine outcome of orthodontic treatment in terms of improvement and standards 180
Periodontal conditions
... around tipped and upright molars in adults 449
Periodontal ligament
A TEM analysis of tissue channels in normal and orthodontically tensioned rat molar 433
The effects of horizontal tooth loading on the circulation and width of the ... 21
Posterior cross-bites
Longitudinal study and cost-benefit analysis of the effect of early treatment of ... in the primary dentition 173
Posterior mandibular displacement
No ... in Angle Class II division 2 malocclusion as revealed with electromyography and sirognathography 162
Postgraduate Programme in Orthodontics
Three years ...: the Final Report of the Erasmus Project 85
Postnatal width changes
... in the internal structures of the human mandible 417
Premolar extraction spaces
The effect of third molar removal on the size of ... in the lower arch 445
Prenatal palatal shelf evaluation
Human ... related to craniofacial skeletal maturation 26
Pressure
Further studies of the ... from the tongue on the teeth in young adults 229
Primary dentition
Longitudinal study and cost-benefit analysis of the effect of early treatment of posterior cross-bites in the ... 173
Profiles
The analysis of ... using curvature analysis 457

Radiographic
... study in the young pig 99
Rapid maxillary expansion
Long-term effect of ... studied in one patient with the aid of metallic implants and roentgen stereometry 427
Repelling magnets
Distalization of maxillary first and second molars simultaneously with ... 264
Ricketts maxillary canine retractor
The characteristics of the ... 37
Roentgen stereometry
Long-term effect of rapid maxillary expansion studied in one patient with the aid of ... 427

Sirognathography
No posterior mandibular displacement in Angle Class II division 2 malocclusion as revealed with ... 162
Skeletal changes
... as a result of headgear activator therapy related to different vertical growth patterns 140
Skeletal Class II
The cranial base in subjects with dental and ... 224
Skeletal II and III
Stability of surgical correction of patients with ... anterior open bite, with increased maxillary mandibular planes angle 198
Skeletal open bite
The effect of treatment of ... with two types of bite blocks 489
Orthodontic and orthopaedic approach in the treatment of ... 207
Skeletal stability
... after surgical correction of mandibular prognathism by vertical ramus osteotomy 117
Spring-loaded posterior bite-block
The effects of the ... on the maxillo-facial morphology 54
Surgical correction
Skeletal stability after ... of mandibular prognathism by vertical ramus osteotomy 117
Stability of ... of patients with Skeletal III and Skeletal II anterior open bite, with increased maxillary mandibular planes angle 198

Technology
... versus biology 1
TEM analysis
... of tissue channels in normal and orthodontically tensioned rat molar periodontal ligament 433
Temporomandibular joint
Tomographic assessment of alterations of the ... after orthognathic surgery 3
Third molar removal
The effect of ... on the size of premolar extraction spaces in the lower arch 445
Tipped molars
Periodontal conditions around ... in adults 449
Tissue channels
A TEM analysis of ... in normal and orthodontically tensioned rat molar periodontal ligament 433
Tomographic assessment
... of alterations of the temporomandibular joint after orthognathic surgery 3
Tongue
Further studies of the pressure from the ... on the teeth in young adults 229
Tooth disturbances
Ectopic eruption of maxillary first permanent molars and association with other ... 369

Unilateral corticotomies
... for correction of maxillary transverse discrepancies 110
Upright molars
Periodontal conditions around tipped and ... in adults 449

Vertical force component
Effect of the ... of Class II elastics on the anterior intrusive force of maxillary archwire 280
Vertical growth patterns
Skeletal and dento-alveolar changes as a result of headgear activator therapy related to different ... 140
Vertical ramus osteotomy
Skeletal stability after surgical correction of mandibular prognathism by ... 117

Author entries

Ahlgren, A. see Stavridi, R.
Akkaya, S. see Işcan, H. N.
Album Alstad, T. see Espeland, L. V.
Andrews, M. see Richmond, S.
Arat, M. and Iseri, H.
Orthodontic and orthopaedic approach in the treatment of skeletal open bite 207
Athanasiou, A. E., Mavreas, D., Toutountzakis, N. and Ritzau, M.
Skeletal stability after surgical correction of mandibular prognathism by vertical ramus osteotomy 117
Athanasiou, A. E. see also Mavreas, D.

Bacon, W., Eiller, V., Hildwein, M. and Dubois, G.
The cranial base in subjects with dental and skeletal Class II 224
Baumrind, S. and Korn, E. L.
Postnatal width changes in the internal structures of the human mandible: a longitudinal three-dimensional cephalometric study using implants 417
Berglund, L. see Kurol, J.
Bjerklin, K., Kurol, J. and Valentin, J.
Ectopic eruption of maxillary first permanent molars and association with other tooth and developmental disturbances 369
Björk, A. see Sarnäs, K-V.
Bondemark, L. and Kurol, J.
Distalization of maxillary first and second molars simultaneously with repelling magnets 264
Brattström, V. see Hellsing, E.
Buchanan, I. B. see Richmond, S.
Bürgin, W. see Thüer, U.
Burke, F. J. T., Wilson, N. H. F., Shaw, W. C. and Cheung, S. W.
Glove use by orthodontists: results of a survey in England and Wales 246
Byloff, F. K. see Mossaz, C. F.

Cai, P. see Xu, T-M.
Campos, J. C. see Moss, J. P.
Cheung, S. W. see Burke, F. J. T.
Cobo, J., Hernández, L. C., del Valle, M. E., Vijande, M. and Vega, J. A.
Immunohistochemical localization of epidermal growth factor and its receptor during odontogenesis in the rat 333

Demisch, A. see Thüer, U.
Dermaut, L. R., van den Eynde, F. and de Pauw, G.
Skeletal and dento-alveolar changes as a result of headgear activator therapy related to different vertical growth patterns 140
Dibbets, J. M. H. and van der Weele, L. Th.
Long-term effects of orthodontic treatment, including extraction, on signs and symptoms attributed to CMD 16
Drage, K. J. and Stephens, C. D.
The effect of third molar removal on the size of premolar extraction spaces in the lower arch: a case study 445
Dubois, G. see Bacon, W.

Eiller, V. see Bacon, W.
Espeland, L. V., Ivarsson, K., Stenvik, A. and Album Alstad, T.
Perception of malocclusion in 11-year-old children: a comparison between personal and parental awareness 350
Eynde, F., van den. see Dermaut, L. R.

Freisfeld, M. see Schmuth, G. P. F.
Fröhlich, K., Ingervall, B. and Thüer, U.
Further studies of the pressure from the tongue on the teeth in young adults 229

Götzlinger, B. see Salonen, L.
Göz, G. R., Rahn, B. A. and Schulte-Mönting, J.
The effects horizontal tooth loading on the circulation and width of the periodontal ligament—an experimental study on Beagle dogs 21
Grimsdottir, M. R., Hensten-Pettersen, A. and Kullman, A.
Cytotoxic effect of orthodontic appliances 47
Gröndahl, K. see Thilander, B.

Hansen, K. and Pancherz, H.
Long-term effects of Herbst treatment in relation to normal growth development: a cephalometric study 285
Hathorn, I. S. see Roberts-Harry, D. P.
Helldén, L. see Salonen, L.
Hellsing, E., Brattström, V. and Strandvik, B.
Cranofacial morphology in children with cystic fibrosis 147
Hensten-Pettersen, A. see Grimsdottir, M. R.
Hernández, L. C. see Cobo, J.
Hildwein, M. see Bacon, W.
Huang, J-F. see Xu, T-M.
Hugoson, A. see Lundgren, D.

Ingervall, B. see Fröhlich, K.; Kuster, R.; Thüer, U.
Işcan, H. N., Akkaya, S. and Koralp, E.
The effects of the spring-loaded posterior bite-block on the maxillo-facial morphology 54
Iseri, H. see Arat, H.
Ivarsson, K. see Espeland, L. V.

James, D. R. see McCance, A. M.
Jones, R. see Richmond, S.

Kerr, W. J. S. see Miller, S.
Kingdon, A. see Pilley, J. R.
Kjaer, I.
Human prenatal palatal shelf elevation related to craniofacial skeletal maturation 26
Klages, U. see Sergl, H. G.
Koralp, E. see Işcan, H. N.

Korn, E. L. see Baumrind, S.
Köster, O. see Schmuth, G. P. F.
Kubein-Meesenburg, D. see Zimmer, B.
Kullman, A. see Grimsdottir, M. R.
Kurol, J. and Berglund, L.
Longitudinal study and cost-benefit analysis of the effect of early treatment of posterior cross-bites in the primary dentition 173
Kurol, J. see also Bjerklin, K.; Bondemark, L.; Lundgren, D.
Kuster, R. and Ingervall, B.
The effect of treatment of skeletal open bite with two types of bite-blocks 489

Laine, T.
Malocclusion traits and articulatory components of speech 302
Leighton, B. C.
Dental arch development in a set of triplets 273
Lekholm, U. see Thilander, B.
Lin, J. X. see Xu, T-M.
Linden, F. P. G. M., van der
Three years Postgraduate Programme in Orthodontics: the Final Report of the Erasmus Project 85
Linder-Aronson, A., Lindskog, S. and Rygh, P.
Orthodontic magnets: effects on gingival epithelium and alveolar bone in monkeys 255
Lindqvist, B. see Olsson, M.
Lindskog, S. see Linder-Aronson, A.
Linney, A. D. see Moss, J. P.
Lundgren, D., Kurol, J., Thorstensson, B. and Hugoson, A.
Periodontal conditions around tipped and upright molars in adults. An intra-individual retrospective study 449

Markovic, M. D.
At the crossroads of oral facial genetics 469
Mavreas, D. and Athanasiou, A. E.
Tomographic assessment of alterations of the temporomandibular joint after orthognathic surgery 3
Mavreas, D. see also Athanasiou, A. E.
McCance, A. M., Moss, J. P. and James, D. R.
Stability of surgical correction of patients with Skeletal III and Skeletal II anterior open bite, with increased maxillary planes angle 198
Miller, S. and Kerr, W. J. S.
A new look at mandibular growth—a preliminary report 95
Mohlin, B. see Pilley, J. R.; Salonen, L.
Moss, J. P., Campos, J. C. and Linney, A. D.
The analysis of profiles using curvature analysis 457
Moss, J. P. see also McCance, A. M.
Mossaz, C. F., Byloff, F. K. and Richter, M.
Unilateral and bilateral corticotomies for correction of maxillary transverse discrepancies 110

O'Brien, K. D. see Richmond, S.
Ödman, J. see Thilander, B.
Olsson, M. and Lindqvist, B.
Mandibular function before orthodontic treatment 61
Orton, H. S., Slattery, D. A. and Orton, S.
The treatment of severe 'gummy' Class II division 1 malocclusion using the maxillary intrusion splint 216
Orton, S. see Orton, H. S.

Pancherz, H. see Hansen, K.
Pauw, G., de see Dermaut, L. R.
Pempera, J. see Sergl, H. G.
Pilley, J. R., Mohlin, B., Shaw, W. C. and Kingdon, A.
A survey of craniomandibular disorders in 800 15-year-olds. A follow-up study of children with malocclusion 152

Rahn, B. A. see Goz, G. R.
Richmond, S., Shaw, W. C., O'Brien, K. D., Buchanan, I. B., Jones, R., Stephens, C. D., Roberts, C. T. and Andrews, M.
The development of the PAR Index (Peer Assessment Rating): reliability and validity 125
Richmond, S., Shaw, W. C., Roberts, C. T. and Andrews, M.
The PAR Index (Peer Assessment Rating): methods to determine outcome of orthodontic treatment in terms of improvement and standards 180
Richter, M. see Mossaz, C. F.
Ritzau, M. see Athanasiou, A. E.
Roberts, C. T. see Richmond, S.
Roberts-Harry, D. P., Hathorn, I. S. and Stephens, C. D.
The ranking of facial attractiveness 483
Rune, B. see Sarnäs, K-V.
Rygh, P. see Linder-Aronson, A.

Salonen, L., Mohlin, B., Götzlinger, B. and Helldén, L.
Need and demand for orthodontic treatment in an adult Swedish population 359
Sarnäs, K-V., Björk, A. and Rune, B.
Long-term effect of rapid maxillary expansion studied in one patient with the aid of metallic implants and roentgen stereomotry 427
Schmuth, G. P. F.
Guest Editorial. Technology versus biology 1
Schmuth, G. P. F., Freisfeld, M., Köster, O. and Schüller, H.
The application of computerized tomography (CT) in cases of impacted maxillary canines 296
Schüller, H. see Schmuth, G. P. F.
Schulte-Mönting, J. see Goz, G. R.
Schwestka, R. see Zimmer, B.
Sergl, H. G., Klages, U. and Pempera, J.
On the prediction of dentist-evaluated patient compliance in orthodontics 463
Shaw, M. M. and Waters, N. E.
The characteristics of the Ricketts maxillary canine retractor 37
Shaw, W. C. see Burke, F. J. T.; Pilley, J. R.; Richmond, S.
Sims, T. R. see Tang, M. P. F.
Slattery, D. A. see Orton, H. S.
Stavridi, R. and Ahlgren, J.
Muscle response to the oral-screen activator. An EMG study of the masseter, buccinator, and mentalis muscles 339
Stenvik, A. see Espeland, L. V.
Stephens, C. D. see Drage, K. J.; Richmond, S.; Roberts-Harry, D. P.
Strandvik, B. see Hellsing, E.

Tan, Q. F. see Xu, T-M.
Tang, M. P. F. and Sims, M. R.
A TEM analysis of tissue channels in

normal and orthodontically tensioned rat molar periodontal ligament 433
Thilander, B., Ödman, J., Gröndahl, K. and Lekholm, U.
Aspects on osseointegrated implants inserted in growing jaws. A biometric and radiographic study in the young pig 99
Thorstensson, B. see Lundgren, D.
Thüer, U., Ingervall, B., Bürgin, W. and Demisch, A.
No posterior mandibular displacement in Angle Class II, division 2 malocclusion as revealed with electromyography and sirognathography 162
Thüer, U. see also Fröhlich, K.
Toutountzakis, N. see Athanasiou, A. E.
Valentin, J. see Bjerklin, K.
Valle, M. E., del see Cobo, J.
Varrela, J.
Dimensional variation of craniofacial structures in relation to changing masticatory-functional demands 31
Vega, J. A. see Cobo, J.
Vijande, M. see Cobo, J.
Waters, N. E.
A rationale for the selection of orthodontic wires 240
Waters, N. E. see also Shaw, M. M.
Weele, L. Th., van der see Dibbets, J. M. H.
Wilson, N. H. F. see Burke, F. J. T.
Xu, T-M., Lin, J-X., Huang, J-F., Cai, P. and Tan, Q-F.
Effect of the vertical force component of Class II elastics on the anterior intrusive force of maxillary archwire 280
Zimmer, B., Schwestka, R. and Kubein-Meesenburg, D.
Changes in mandibular mobility after different procedures of orthognathic surgery 188

European Journal of Orthodontics 14 (1992) 507–526

© 1992 European Orthodontic Society

European Journal of Orthodontics

Volume 14 (1992) Subject entries

Abstract section — page numbers are given first followed by the abstract number in parentheses.

Acid etching
Crystal growth on the enamel surface as an alternative to ... 79 (28)
Activator
A comparative efficiency investigation of the ... in the treatment of distal occlusion with excessive overjet 409 (112)
Cephalometric comparison of ... with Herbst appliance 408 (111)
Activator with screw
Treatment results of a Class II division 1 malocclusion with jaw contraction, by means of an ... 387 (25)
Adhesive thickness
Effect of ... on shear/peal strengths of ceramic brackets 407 (104)
Age
Treatment with an orthopaedic appliance in relation to ... 407 (107)
Airway space adaptation
Assessment of the ... to mandibular setback using sagittal split osteotomy 319 (17)
Alopecia areata
... due to combined headgear 74 (5)
Altered mandibular function
... and prevention of skeletal asymmetries after unilateral condylectomy 331 (65)
Effects of ... on mandibular growth after condylectomy 331 (66)
Alveolar bone support
Severe horizontal overjet and vertical overbite enhance loss of ... 329 (57)
Analytical morphometry
Shape asymmetry detection by ... 396 (62)
Andresen therapy
Vertical skeletal changes in ... 391 (40)
Angle Class I malocclusions
Changes in chewing movements in ... after orthodontic treatment 384 (13)
Angle Class III patients
Treatment of young ... with protraction by face mask 321 (25)
Anterior open-bite
The skeletal features of high-angle cases with and without ... 78 (22)
Anterior open-bite malocclusion
... a follow-up study of orthodontic treatment effects 329 (59)
Arch form development
Asymmetrical pads and ... 402 (85)
Arch relationships
Long-term effects of the Herbst appliance on the ... 386 (24)
Articular eminence
Effect of food consistency on the shape of the ... 397 (64)
Asymmetry
Differential diagnosis between real ... and mandibular shift in TMJ patients by analytical morphometry 330 (64)
... in orthodontic finishing procedures 330 (63)
Asymmetrical pads
... and arch form development 402 (85)
Autoactivation
... of labial archwires during screw plate treatment 381 (2)
Autosomal dominant phenotype
Mandibular prognathism and ... in 23 generations of 13 European noble families 73 (4)
Autotransplanted premolars
Pulp survival, periodontal healing and root development of ... in orthodontic treatment 324 (37)

Begg technique
A comparative efficiency investigation of the ... in the treatment of distal occlusion with excessive overjet 409 (112)
... as mandibular tissue-level growth promoting procedures 75 (11)
Bimaxillary surgery
A three-dimensional analysis of ten Class II/1 patients following ... 77 (19)
Biocompatibility
... of new and recycled orthodontic samarium-cobalt magnets 407 (106)
Bionator
Treament of skeletal open bite cases with the ... 405 (97)
Bionator technique
... as mandibular tissue-level growth promoting procedures 75 (11)
Biplanar cephalometric stereoradiography 395 (58)
Bite-blocks
Treatment of skeletal open bite with two types of ... 326 (48)
Bite-opening mechanisms
The implications and stability of ... of deepbite cases via Edgewise mechanotherapy 79 (27)
Blood flow
Effect of experimental tooth movement on ... in the periodontal ligament and pulp 322 (32)
Blood flow changes
... in the permanent maxillary canines during retraction 410 (117)
... in the tibia during external loading 410 (118)
B-mode ultrasound scanning
... of the tongue at rest and during swallowing 328 (55)
Bond strengths
... of 15 different adhesives 406 (100)
Bonding attachments
The evaluation of enamel loss due to ... with a glass ionomer cement 406 (101)
Bonding resins
Early fluoride release from three light-curing orthodontic ... 406 (103)
Bone grafting
Periodontal evaluation of teeth in the cleft region after ... in unilateral cleft lip and palate patients 318 (15)

Bone reaction
... following experimental fractures 396 (63)
Bone resorptive cell patterns
... at post-orthodontic time intervals 410 (116)
Bone support
Permanent retention in orthodontic patients with reduced levels of ... 404 (94)
Bradykinin
... and thrombin enhance the production of prostaglandin E2 from cultured human periodontal ligament 75 (9)
Buccinator muscles
An EMG study of the ... 81 (36)
Burstone arch levelling technique
A comparison of the straight-wire and ... in adult patients 80 (29)

Canine widths
Prediction of ... in the mixed dentition 397 (66)
Castillo–Morales
Results of orofacial regulation therapy according to ... in children with cerebral palsy 403 (89)
Central drive
... of the trigeminal motor system of TMJ dysfunctional patients 400 (79)
Cephalometric analysis
Natural head posture as a basis for ... 393 (48)
Cephalometric assessment
... of sagittal relationship between maxilla and mandible 77 (18)
Cephalometric diagnosis
Orthodontic ... in Mapuches and comparatives with other Indo-American races 412 (126)
Cephalometric distances
The validity of ... 394 (52)
Cephalometric errors
Comparative ... 393 (51)
Cephalometric evaluation
... of crib therapy on mixed dentition overbite cases 80 (32)
... of facial asymmetry 402 (84)
Cephalometric landmark location
Effect of head posture on ... 83 (44)
Cephalometric landmarks
Reliability of ... 393 (50)
Cephalometric mandibular landmarks
Validity of ... 394 (53)
Cephalometric measurements
Mandibular growth estimated by four ... 78 (24)
Cephalometrics
Class II-treatment with intermaxillary traction, evaluated with ... 73 (2)
Ceramic brackets
Effect of adhesive thickness on shear/peal bond strengths of ... 407 (104)
Cerebral palsy
Results of orofacial regulation therapy according to Castillo–Morales in children with ... 403 (89)
Cervical headgear
Assessment of extra-oral force magnitude applied by orthodontists using ... 408 (108)
The influence of ... on natural head posture 408 (109)
Cervical inclination
Natural ... and craniofacial morphology 391 (41)
Cervical spine
Problems of the ... and symptoms in head and neck 400 (77)
Cervical traction
Vertical skeletal changes in ... 391 (40)
Chewing movements
Changes of ... in Angle Class I malocclusions after orthodontic treatment 384 (13)
Chewing rhythms
Analysis of ... in malocclusions 403 (91)
Chin cup therapy
Electromyographic analysis of the jaw jerk and silent period in ... 387 (27)
Class II division 1 malocclusion
The effects of intermaxillary lip bumper in cases with ... 409 (113)
Treatment results of a ... with jaw contraction, by means of an activator screw 387 (25)
Class II/1 patients
A three-dimensional analysis of ten ... following bimaxillary surgery 77 (19)
Class II division 2 malocclusion
Dento-skeletal characteristics of ... 390 (39)
Class II elastics
... influence on occlusal plane orientation 321 (27)
Class II-treatment
... with intermaxillary traction 73 (2)
Class III malocclusions
The stability of ... treated by a non-extraction technique 387 (28)
Class III patients
Long term evaluation of stability in ... 321 (26)
Long-term TMJ evaluation on ... 388 (29)
Soft tissue changes in ... treated with reverse headgear 405 (98)
Cleft lip and palate
Craniofacial development in ... children related to different treatment regimes 318 (13)
Periodontal evaluation of teeth in the cleft region after bone grafting in unilateral ... patients 318 (15)
Stereophotogrammetric analysis of facial asymmetry in ... children 315 (4)
Strapping as a method of presurgical treatment in ... subjects 76 (16)
Transverse dentofacial structure of unilateral ... in young adult males 388 (30)
Cleft lip and palate deformities
Morphological classification of ... 412 (123)
Cleft palate repair
Surgical timing of ... 412 (124)
Cleidocranial dysplasia
Late development of supernumerary teeth in ... 82 (38)
Collagen
In vitro synthesis of ... by human gingival and periodontal ligament cells 411 (121)
Combined headgear
Alopeacia areata due to ... 74 (5)
Combined headgear appliance
The comparison of ... with other appliances 329 (58)
Combined orthodontic and surgical procedures
Treatment by ... of skeletal Class III cases 389 (35)
Combined point location
A CT-scan lateral radiography ... in three-dimensions 394 (55)
Compressive forces
Biochemical effects of ... on rat mandibular condyle *in vitro* 397 (65)
Computertomography
Quantitative analysis of muscle function studied with ... 326 (47)

Condylectomy
Effects of altered mandibular function on mandibular growth after ... 331 (66)
Condylo-discal incoordination
Statistical evaluation of TMJ surgical treatment in ... 390 (37)
Congenital absence
Orthodontic space-closure in cases of ... 404 (92)
Constant forces
... on orthodontic cell populations *in vitro* 322 (30)
Cranial base development
Human foetal tooth development related to ... 392 (46)
Cranial base flexion
Influence on prognathism of the maxilla from ... 392 (47)
Cranial base growth
Multilevel models of ... for Dutch boys and girls 315 (2)
Cranial defects
The healing of ... by demineralized osseous implants 82 (40)
The healing of ... by demineralized osseous implants 381 (3)
Craniocervical posture
The effect of upper airway obstruction on ... in OSAS patients 75 (12)
Hyoid bone inclination and position related to ... 392 (44)
Craniofacial anomalies
... in transgenic mice with mutations in the type II collagen gene 82 (37)
Craniofacial complex
Establishment of floating norms based on the interaction pattern present between the components of ... 382 (6)
Craniofacial development
... in cleft lip and palate children related to different treatment regimes 318 (13)
Craniofacial functional components
Post-stimulus EMG complexes in twins to evaluate the heritability of ... 325 (42)
Craniofacial growth
Nasal obstruction and ... 76 (15)
Craniofacial morphology
... and occlusal traits in wrestlers 325 (44)
Hyoid bone inclination and position related to ... 392 (44)
... in children with cystic fibrosis 324 (38)
... in children with juvenile chronic arthritis 324 (40)
Natural cervical inclination and ... 391 (41)
Craniofacial typology
... characteristics of masseter and ptyergoideus medialis muscles 403 (90)
Craniomandibular disorders
A 10 year follow-up study of ... in children with malocclusion 382 (7)
The diagnosis of ... using dynamic MRI (DMRI) 399 (72)
Crib therapy
The cephalometric evaluation of the ... on mixed dentition overbite cases 80 (32)
Crystal growth
... on the enamel surface as an alternative to acid etching 79 (28)
CT
Three-dimensional models of the TMJ with data from ... 398 (71)
CT-scan lateral radiograph
... combined point location in three-dimensions 394 (55)
Cystic fibrosis
Craniofacial morphology in children with ... 324 (38)

Dark field microscopy
... of subgingival flora before, during and after treatment with fixed appliances 83 (41)
Deepbite cases
The implications and stability of bite-opening mechanisms of ... via Edgewise mechanotherapy 79 (27)
Deformity
Surgical-orthodontic treatment of ... secondary to unilateral TMJ ankylosis in childhood 317 (11)
Demineralized osseous implants
The healing of cranial defects by ... 82 (40)
The healing of cranial defects by ... 381 (3)
Dental agenesis
... and osseointegration 405 (96)
Dental appearance
Concern for ... in a region with low uptake of orthodontic treatment 320 (22)
Dental arches
Long-term effects of the Herbst appliance on the ... 386 (24)
The effect of difficult forceps delivery on ... 402 (86)
Dental development
Premature loss and its long-term effect on ... 384 (14)
Dental trauma
...: luxations of the teeth and orthodontic splinting 404 (93)
Dentitional changes
Early ... in the treatment of distocclusions with Fränkel and headgear appliances 387 (26)
Dentoalveolar development
Osseointegrated implants and the effects on ... and facial growth 74 (6)
Dento-facial system
Effects of maxillary sagittal appliance on the ... 81 (33)
Dento-skeletal characteristics
... of Class II division 2 malocclusion 390 (39)
Developmental disturbances
Genetic factors behind ectopic eruption and ... 398 (70)
Digital lateral cephalograms
The reliability of landmark location on ... 394 (54)
Digital luminescence radiography
Dose reduction by application of ... 395 (56)
Digital radiology
Use of ... in orthodontic roentgenencephalography 328 (54)
Distal occlusion
A comparative efficiency investigation of several methods of treatment of ... with excessive overjet 409 (112)
Distalisation
... of maxillary first and second molars simultaneously with repelling magnets 327 (51)
Distocclusions
Early dentitional changes in the treatment of ... with Fränkel and headgear appliances 387 (26)
Distraction appliance
The management of the vertical dimension deficiency with a ... 326 (46)
Dose reduction
... by application of digital luminescence radiography 395 (56)
Dynamic MRI (DMRI)
The diagnosis of craniomandibular disorders using ... 399 (72)

Ectopic eruption
Genetic factors behind ... and tooth and developmental disturbances 398 (70)
Edgewise appliance
A radiographic comparison of root resorption with conventional ... and Speed self-litigating appliances 409 (114)
Edgewise mechanotherapy
The implications and stability of bite-opening mechanisms of deepbite cases via ... 79 (27)
Edgewise technique
A comparative efficiency investigation of the ... in the treatment of distal occlusion with excessive overjet 409 (112)
Eismann method
Threshold value for fixing the need of treatment by the ... 320 (21)
Electromyographic analysis
... of the jaw jerk and silent period in chin cup therapy 387 (27)
Electromyographic evaluation
... of facial asymmetry 402 (84)
Electromyography
Quantitative analysis of muscle function studied with ... 326 (47)
EMG study
... of the masseter, buccinator and mentalis muscles 81 (36)
Enamel
Fluorine diffusion into the adjacent ... from glass ionomer cement bonded attachments 406 (102)
Enamel loss
The evaluation of ... due to bonding attachments with a glass ionomer cement 406 (101)
Enamel surface
Crystal growth on the ... as an alternative to acid etching 79 (28)
Endurance test
... and fatigue recovery of the masticatory muscles and their relation to facial morphology 78 (21)
Eruption pattern
... of permanent teeth in 1008 5–15 year old children and adolescents 74 (7)
Etched enamel
Shear bond strengths of light-activated orthodontic resins to ... 76 (14)
Excitatory reflexes
... of perioral muscles elicited by mechanical stimulation to oral mucosa 75 (10)
Experimental fractures
Bone reaction following ... 396 (63)
Experimental tooth movement
Effect of ... on blood flow in the periodontal ligament and pulp 322 (32)
External loading
Blood flow changes in the tibia during ... 410 (118)
Extra-oral force magnitude
Assessment of ... applied by orthodontists using cervical headgear 408 (108)
Extraction cases
Evaluation of the periodontal status in ... 83 (42)
Evaluation of periodontal status in ... 386 (22)

Face mask
Treatment of young Angle Class III patients with protraction by ... 321 (25)
Facial asymmetries
... 401 (83)
Facial asymmetry
Electromyographic and cephalometric evaluation of ... 402 (84)
Stereophotogrammetric analysis of ... in CLP-children 315 (4)
Facial development
Premature loss and its long-term effect on ... 384 (14)
Facial growth
... during unloading of the joints in patients with juvenile chronic arthritis 401 (81)
... in juvenile rheumatoid arthritis 324 (39)
Osseointegrated implants and the effects of dentoalveolar development and ... 74 (6)
Facial morphology
Endurance test and fatigue recovery of the masticatory muscles and their relation to ... 78 (21)
... in patients suffering from progressive muscle dystrophia 325 (41)
Facial profile aesthetics
Evaluation of ... through application of the golden section incident to mandibular set-back surgery 73 (1)
Facial profile changes
... by conventional and fixed appliances 80 (31)
Facies lateralis
The significance of inclination of the ... of the maxilla for treatment planning in orthognathic surgery 317 (9)
Fatigue recovery
... of the masticatory muscles and their relation to facial morphology 78 (21)
Fixed appliances
Dark field microscopy of subgingival flora before, during and after treatment with ... 82 (41)
Increased *Streptococcus mutans* during orthodontic therapy with ... 77 (17)
The effects of ... on Class II malocclusions 80 (30)
... versus removable 73 (3)
Floating norms
Establishment of ... based on the interaction pattern present between the components of craniofacial complex 382 (6)
Fluoride release
Early ... from three light-curing orthodontic bonding resins 406 (103)
Fluorine diffusion
... into the adjacent enamel from glass ionomer cement bonded attachments 406 (102)
Foetal skeleton
Influence of growth factor on the development of the ... 315 (3)
Foetal tooth development
Human ... related to cranial base development 392 (46)
Food consistency
Effect of ... on the shape of the atricular eminence and the mandible 397 (64)
Force stability
... of new and recycled orthodontic samarium-cobalt magnets 407 (106)
Forceps delivery
The effect of difficult ... on dental arches and occlusion 402 (86)
Forensic estimation
... of the soft tissue profile by local-area polar coordinates 395 (57)
Fränkel appliances
Early dentitional changes in the treatment of distoclusions with ... 387 (26)

Functional adaptation
... of natural head posture and hyoid bone in sleep apnoea syndrome 325 (43)
Functional changes
... following orthgnathic surgery 74 (8)
Functional findings
... in patients suffering from progressive muscle dystrophia 325 (41)
Functional orthopaedic magnetic appliance
... II-spatial force analysis and clinical evaluation 327 (52)

General Dental Services
A critical appraisal of orthodontic treatment in the ... of England and Wales 315 (1)
Genetic factors
... behind ectopic eruption and tooth and developmental disturbances 398 (70)
Gingival cells
In vitro synthesis of collagen by human ... 411 (121)
Glass ionomer cement
The evaluation of enamel loss due to bonding attachments with a ... 406 (101)
Glass ionomer cement bonded attachments
Fluorine diffusion into the adjacent enamel from ... 406 (102)
Golden section incident
Evaluation of facial profile aesthetics through application of the ... to mandibular set-back surgery 73 (1)
Growth factor
Influence of ... on the development of the foetal skeleton 315 (3)
Growth periods
Treatment with an orthopaedic appliance in relation to ... 407 (107)

Harvold–Woodside activator
The comparison of ... with other appliances 329 (58)
Head
Problems of the cervical spine and symptoms in ... 400 (77)
Head posture
Effect of ... on cephalometric landmark location 83 (44)
Headgear appliances
Early dentitional changes in the treatment of distoclusions with ... 387 (26)
Hemifacial microsomia treatment
... during developmental age 317 (12)
Herbst appliance
Cephalometric comparison of ... with activator 408 (111)
Effects of ... on saggital correction in southern Chinese and Swedish children 408 (110)
Long-term effects of the ... on the dental arches and arch relationships 386 (24)
Herbst appliance therapy
The evaluation of ... 81 (34)
Herbst treatment
Long-term effects of ... in relation to normal growth development 386 (23)
High-angle cases
The skeletal features of ... with and without anterior open-bite 78 (22)
Horizontal overjet
Severe ... enhance loss of alveolar bone support 329 (57)
Human molars
External root resorption on the first ... following rapid maxillary expansion 323 (35)
Human premolars
External root resorption on the first ... following rapid maxillary expansion 323 (35)
Hydrogen gas clearance method
Measurements of the periodontal blood flow by the ... 411 (119)
Hyoid bone
Functional adaptation of ... in sleep apnoea syndrome 325 (43)
... inclination and position related to craniofacial morphology and craniocervical posture 392 (44)
Hyoid bone position
... in adult individuals with open bite and normal occlusion 78 (23)
Hypodontia
...: a combined orthodontic and prosthetic approach 404 (95)

II-*spatial force*
FOMA ... analysis and clinical evaluation 327 (52)
Impaction
Difficult ... 411 (122)
Incisive canal
Two roentgencephalometric landmarks in the maxilla adjacent to the ... as alternatives to point A 79 (26)
Incisor extraction
Mandibular incisor crowding — early ... 385 (19)
Inclination
The significance of ... of the facies lateralis of the maxilla for treatment planning in orthognathic surgery 317 (9)
Index of Orthodontic Treatment Need
...: evaluation at two age levels 383 (9)
Reproducibility of the ... 382 (8)
Individual dentition
Development of an ... through model analysis 389 (33)
Information
Retention and comprehension of ... given during initial orthodontic consultations 329 (60)
Inhibitory reflexes
... of perioral muscles elicited by mechanical stimulation to oral mucosa 75 (10)
Interaction pattern
Establishment of floating norms based on the ... present between the components of craniofacial complex 382 (6)
Interceptive treatment
Factors influencing the result of early ... in children with posterior crossbite 384 (16)
Intermaxillary lip bumper
The effects of ... in cases with Class II division 1 malocclusion 409 (113)
Intermaxillary traction
Class II-treatment with ... 73 (2)
Intermittent forces
... on orthodontic cell populations *in vitro* 322 (30)
Ions
Mechanical deformation influencing the distribution of ... across the osteocyte membrane 322 (31)

Jaw contraction
Treatment results of a Class II division 1 malocclusion with ... 387 (25)
Jaw jerk
Electromyographic analysis of the ... in chin cup therapy 387 (27)

Juvenile chronic arthritis
Craniofacial morphology in children with ... 324 (40)
Facial growth and oral function during unloading of the joints in patients with ... 401 (81)
Maxillo-facial abnormalities in a rare case of familial ... 401 (82)
Juvenile rheumatoid arthritis
Facial growth in ... 324 (39)

Labial arch wires
Autoactivation of ... during screw plate treatment 381 (2)
Landmark location
The reliability of ... on digital lateral cephalograms 394 (54)
Late anterior crowding
... — factors of influence 321 (28)
Le Fort I osteotomies
Tomographic evaluation of TMJ alterations after ... 400 (78)
Light-activated orthodontic resins
Shear bond strengths of ... to etched enamel 76 (14)
Local-area polar coordinates
Forensic estimation of the soft tissue profile by ... 395 (57)
Lower incisor extractions
... long-term evaluation of results 330 (61)
Lower incisor proclination
Long-term evaluation of ... 385 (20)
Lower jaw position
Influence of spinal treatment on ... 400 (76)
Luxations of the teeth
... in dental trauma 404 (93)

Magnetic appliances
... to correct vertical facial excess 327 (49)
Magnetic forces
Maxillary expansion with ... 327 (50)
Malocclusion
A 10 year follow-up study of cranio-mandibular disorders in children with ... 382 (7)
Analysis of chewing rhythms in ... 403 (91)
Prevalence of ... in 12-year-old school children of Lisbon 382 (5)
Mandible
Cephalometric assessment of sagittal relationship between maxilla and ... 77 (18)
Effect of food consistency on the shape of the ... 397 (64)
Migration of the periosteum along the growing ... in the rabbit 323 (34)
The high supraforaminal osteotomy of the ... 389 (36)
Mandibular anterior-rotation-advancement
A new concept for ... 316 (7)
Mandibular condyle
Biochemical effects of compressive forces on rat ... *in vitro* 397 (65)
Maturation of progenitor cells in the ... 322 (29)
Mandibular growth
Effects of altered mandibular function on ... after condylectomy 331 (66)
... estimated by four cephalometric measurements 78 (24)
Mandibular incisor crowding
... — early incisor extraction 385 (19)
Mandibular permanent canine
The transmigration of the ... 398 (69)
Mandibular prognathism
... — an autosomal dominant phenotype in 23 generations of 13 European noble families 73 (4)
Mandibular ramus
Orthognathic surgery and R.I.F.: stability of the ... 390 (38)
Mandibular setback
Assessment of the airway space adaptation to ... using sagittal split osteotomy 319 (17)
Mandibular set-back surgery
Evaluation of facial profile aesthetics through application of the golden section incident to ... 73 (1)
Mandibular shift
Differential diagnosis between real asymmetry and ... in TMJ patients by analytical morphometry 330 (64)
Mandibular tissue-level growth promoting procedures
Bionator and Begg technique as ... 75 (11)
Masseter muscles
An EMG study of the ... 81 (36)
Craniofacial typology and muscle fibre characteristics of ... 403 (90)
Size and activity of the ... 381 (1)
Masticatory muscles
Endurance test and fatigue recovery of the ... and their relation to facial morphology 78 (21)
Maxilla
Cephalometric assessment of sagittal relationship between ... and mandible 77 (18)
Osteotomies of the ... with residual clefts 318 (14)
The significance of inclination of the facies lateralis of the ... for treatment planning in orthognathic surgery 317 (9)
Two roentgencephalometric landmarks in the ... adjacent to the incisive canal as alternatives to point A 79 (26)
Maxillary canines
Blood flow changes in the permanent ... during retraction 410 (117)
Maxillary expansion
... with magnetic forces 327 (50)
Maxillary first and second molars
Distalisation of ... simultaneously with repelling magnets 327 (51)
Maxillary growth rotation
Individual patterns of ... in girls 391 (42)
Maxillary sagittal appliance
Effects of ... on the dento-facial system 81 (33)
Maxillo-facial abnormalities
... in a rare case of familial juvenile chronic arthritis 401 (82)
Maxillo-facial surgery
Rigid fixation in ... 316 (8)
Mechanical deformation
... influencing the distribution of ions across the osteocyte membrane 322 (31)
Mechanical force measurement
Quantitative analysis of muscle function, studied with ... 326 (47)
Mechanical stimulation
Excitatory and inhibitory reflexes of perioral muscles elicited by ... to oral mucosa 75 (10)
Mentalis muscles
An EMG study of the ... 81 (36)
Mentoplasty
... and skeletal vertical dimension 319 (18)
Midface dimensions
Influence on prognathism of the maxilla from ... 392 (47)
Midface ratio
... as an alternative to the SNA angle 395 (59)
Midpalatal suture expansion
... with personal activation 405 (99)

Mixed dentition
Prediction of canine and premolar widths in the ... 397 (66)
Mixed dentition overbite cases
The cephalometric evaluation of the crib therapy on ... 80 (32)
Model analysis
Development of an individual dentition through ... 389 (33)
Model surgery
Treatment prediction with ... in 3D-CT skull models 388 (32)
Molar position
Changes in the lower third ... in the young adult 328 (56)
Morphological changes
... following orthognathic surgery 74 (8)
MRT
Three-dimensional models of the TMJ with data from ... 398 (71)
Multilevel models
... of cranial base growth for Dutch boys and girls 315 (2)
Muscle fibre
... characteristics of masseter and ptyergoideus medialis muscles 403 (90)
Muscle function
Quantitative analysis of ... 326 (47)
Muscle response
... to the oral-screen activator 81 (36)

Nasal obstruction
... and craniofacial growth 76 (15)
Natural head posture
... as a basis for cephalometric analysis 393 (48)
Functional adaptation of ... in sleep apnoea syndrome 325 (43)
The influence of cervical headgear on ... 408 (109)
Neck
Problems of the cervical spine and symptoms in ... 400 (77)
Non-extraction technique
The stability of Class III malocclusions treated by a ... 387 (28)
Normal growth development
Long-term effects of Herbst treatment in relation to ... 386 (23)
Normal occlusion
The hyoid bone position in adult individuals with open bite and ... 78 (23)
Obstructive sleep apnoea syndrome (OSAS)
The effect of upper airway obstruction on craniocervical posture in ... patients 75 (12)
Occlusal features
Prevalence of TMJ-dysfunction symptoms and its relationship to ... in adolescent girls 399 (74)
Occlusal index
... — and indicator of need and outcome of orthodontic treatment 383 (10)
Occlusal plane orientation
Class II elastics influence on ... 321 (27)
Occlusal traits
Craniofacial morphology and ... in wrestlers 325 (44)
Occlusal variation
... in 5–15 year old children 77 (20)
Occlusion
The effect of difficult forceps delivery on ... 402 (86)
Odontometric study
... of the permanent dentition in a malocclusive Spanish population 397 (67)
Oestrogen
The effect of ... on orthodontic tooth movement in rats 323 (33)
Open bite
The hyoid bone position in adult individuals with ... and normal occlusion 78 (23)
Oral function
... during unloading of the joints in patients with juvenile chronic arthritis 401 (81)
Oral health
... ten or more years after orthodontics 82 (39)
Oral health knowledge
... in the parents of orthodontic patients 383 (12)
Oral mucosa
Excitatory and inhibitory reflexes of perioral muscles elicited by mechanical stimulation to ... 75 (10)
Oral mucosa keratinocytes
Cultivation and characterisation of ... 411 (120)
Oral-screen activator
Muscle response to the ... 81 (36)
Orofacial regulation therapy
Results of ... according to Castillo–Morales in children with cerebral palsy 403 (89)
Orthodontic approach
Hypodontia: a combined ... and prosthetic approach 404 (95)
Orthodontic bonding resins
Comparative shear bond strength of some ... to bovine enamel 407 (105)
Orthodontic care
Aspects of patient management in ... 383 (11)
Orthodontic cell populations
Intermittent and constant forces on ... *in vitro* 322 (30)
Orthodontic consultations
Retention and comprehension of information given during initial ... 329 (60)
Orthodontic diagnosis
Spiral CT technique — a new help in ... 396 (60)
Orthodontic finishing procedures
Asymmetry in ... 330 (63)
Orthodontic magnets
...: an update on biological effects 328 (53)
Orthodontic patients
Permanent retention in ... with reduced levels of bone support 404 (94)
Orthodontic planning
Errors in ... in orthognathic surgery 316 (6)
Orthodontic roentgenencephalography
Use of digital radiology in ... 328 (54)
Orthodontic space-closure
... in cases of congenital absence or traumatic loss of incisors in adolescent and adult patients 404 (92)
Orthodontic splint
The utilization of ... in the reimplantation of teeth 323 (36)
Orthodontic splinting
... in dental trauma 404 (93)
Orthodontic-surgical approaches
Flow-chart of ... on skeletal Class III with TMJ dysfunction 317 (10)
Orthodontic therapy
Increased *Streptococcus mutans* during ... with fixed appliances 77 (17)
Orthodontic tooth movement
The effect of oestrogen on ... 323 (33)
Orthodontic treatment
A critical appraisal of ... in the General Dental Services of England and Wales 315 (1)

An occlusal index — an indicator of need and outcome of ... 383 (10)
Changes of chewing movements in Angle Class I malocclusions after ... 384 (13)
Concern for dental appearance in a region with low uptake of ... 320 (22)
Pulp survival, periodontal healing and root development of autotransplanted premolars in ... 324 (37)
The demand and reasons for ... in adult individuals 320 (24)
Topographic distribution of shape changes due to ... detected by S.A.M. 396 (61)
Orthodontic treatment effects
Anterior open-bite malocclusion: a follow-up study of ... 329 (59)
Orthodontically treated teeth
Sensory thresholds of ... 381 (4)
Orthodontics
Quality assurance in ... 319 (19)
Orthognathic surgery
Advances in ... 316 (5)
... and R.I.F. 390 (38)
Correlations between morphological and functional changes following ... 74 (8)
Errors in orthodontic and surgical planning in ... 316 (6)
Functional implications of ... 318 (16)
The significance of inclination of the facies lateralis of the maxilla for treatment planning in ... 317 (9)
Orthognathodontic treatment
... in a case of Widemann–Beckwith Syndrome 403 (88)
Orthopaedic appliance
Treament with an ... in relation to age and growth periods 407 (107)
Orthopaedic correction
Facial asymmetries. Early ... 401 (83)
Osseointegrated implants
... and the effects on dentoalveolar development and facial growth 74 (6)
Osseointegration
Dental agenesis and ... 405 (96)
Osteocyte membrane
Mechanical deformation influencing the distribution of ions across the ... 322 (31)
Osteogenesis imperfecta
Clinical aspects and treatment of ... 402 (87)
Osteotomies
... of the maxilla with residual clefts 318 (14)
Oxytalan fibres
... in temporomandibular joint tissues in rats and dogs 399 (73)

Palatal bones
Position of the human ... during prenatal palatal closure 392 (45)
Palatal exansion techniques
A comparison of two different ... from the point of root resorption 76 (12)
Palatal surgery
Use of poly-(L-lactic) acid membranes in ... in dogs 388 (31)
Parent's opinion
... on their own child's dentition 320 (23)
Patient management
Aspects of ... in orthodontic care 383 (11)
Peninsula-cut mandibular body osteotomy
... 316 (7)
Perfect occlusion
TMJ function in subjects with ... 330 (62)
Periodontal blood flow
Measurement of the ... by the hydrogen gas clearance method 411 (119)
Periodontal evaluation
... of teeth in the cleft region after bone grafting in unilateral cleft lip and palate patients 318 (15)
Periodontal healing
... of autotransplanted premolars in orthodontic treatment 324 (37)
Periodontal ligament
Bradykinin and thrombin enhance the production of prostaglandin E2 from cultured human ... cells 75 (9)
Effect of experimental tooth movement on blood flow in the ... and pulp 322 (32)
Periodontal ligament cells
In vitro synthesis of collagen by human ... 411 (121)
Periodontal status
Evaluation of the ... in extraction cases 83 (42)
Evaluation of ... in extraction cases 386 (22)
Perioral muscles
Excitatory and inhibitory reflexes of ... elicited by mechanical stimulation to oral mucosa 75 (10)
Periosteum
Migration of the ... along the growing mandible in the rabbit 323 (34)
Peripheral drive
... on the trigeminal motor system on TMJ dysfunctional patients 400 (79)
Permanent dentition
An odontometric study of the ... in a malocclusive Spanish population 397 (67)
Permanent mandibular incisors
The alignment of ... in children 385 (18)
Permanent retention
... in orthodontic patients with reduced levels of bone support 404 (94)
Permanent teeth
Eruption pattern of ... in 1008 5–15 year old children and adolescents 74 (7)
The development of the ... in Chilean children 79 (25)
Personal activation
The midpalatal suture expansion with ... 405 (99)
Pin stabilized resin bonded splint
Permanent retention in orthodontic patients with reduced levels of bone support 404 (94)
Poly-(L-lactic) acid membranes
Use of ... in palatal surgery in dogs 388 (31)
Posterior crossbite
Factors influencing the result of early interceptive treatment in children with ... 384 (16)
Posterior crossbites
Longitudinal study and cost-benefit analysis of the effect of early treatment on ... in the primary dentition 385 (17)
Sucking habits and ... in 3-year olds 384 (15)
Post-stimulus EMG complexes
... in monozygotic and dizygotic twins to evaluate the heritability of craniofacial functional components 325 (42)
Premature loss
... and its long-term effect on dental and facial development 384 (14)

Premolar widths
Prediction of ... in the mixed dentition 397 (66)
Prenatal palatal closure
Position of the human palatal bones and tongue during ... 392 (45)
Presurgical prognosis
... of the soft tissue profile 389 (34)
Presurgical treatment
Strapping as a method of ... in cleft lip and palate subjects 76 (16)
Primary dentition
Longitudinal study and cost-benefit analysis of the effect of early treatment of posterior crossbite in the ... 385 (17)
Professional assessment
... of a child's dentition 320 (23)
Profile
The differences in the changes of the ... 81 (35)
Progenitor cells
Maturation of ... in the mandibular condyle 322 (29)
Prognathism of the maxilla
Influence on ... from cranial base flexion and midface dimensions 392 (47)
Progressive muscle dystrophia
Facial morphology and functional findings in patients suffering from ... 325 (41)
Prostaglandin E2
Bradykinin and thrombin enhance the production of ... from cultured human periodontal ligament cells 75 (9)
Prosthetic approach
Hypodontia: a combined orthodontic and ... 404 (95)
Protraction
Treatment of young Angle Class III patients with ... by face mask 321 (25)
Pseudo-Class I
... 412 (125)
Ptyergoideus medialis muscles
Craniofacial typology and muscle fibre characteristics of ... 403 (90)
Pulp
Effect of experimental tooth movement on blood flow in the periodontal ligament and ... 322 (32)
Pulp survival
... of autotransplanted premolars in orthodontic treatment 324 (37)
Quality assurance
... in orthodontics 319 (19)

Rapid maxillary expansion
External root resorption on the first human molars and premolars following ... 323 (35)
Reimplantation
The utilization of orthodontic splint in the ... of the teeth 323 (36)
Removable appliances
Fixed versus ... 73 (3)
The effect of ... on Class II malocclusion 80 (30)
Repelling magnets
Distalisation of maxillary first and second molars simultaneously with ... 327 (51)
Residual clefts
Osteotomies of the maxilla with ... 318 (14)
Retraction
Blood flow changes in the permanent maxillary canines during ... 410 (117)
Reverse headgear
Soft tissue changes in Class III patients treated with ... 405 (98)
Rheumatoid arthritis
Radiological signs of ... in the temporomandibular joint 401 (80)
R.I.F.
Orthognathic surgery and ... 390 (38)
Rigid fixation
... in maxillo-facial surgery 316 (8)
Roentgencephalometric landmarks
Two ... in the maxilla adjacent to the incisive canal as alternatives to point A 79 (26)
Root development
... of autotransplanted premolars in orthodontic treatment 324 (37)
Root resorption
A comparison of two different palatal expansion techniques from the point of ... 76 (13)
A radiographic comparison of ... with conventional Edgewise and Speed self-litigating appliances 409 (114)
Evaluation of ... in relation to two different treatment regimes 409 (115)
External ... on the first human molars and premolars following rapid maxillary expansion (RME) 323 (35)
Root resorptive cell patterns
... at post-orthodontic time intervals 410 (116)
Rotated teeth
Long-term stability of orthodontically corrected ... 386 (21)

Sagittal correction
Effects of Herbst appliance on ... in southern Chinese and Swedish children 408 (110)
Sagittal morphology
The interaction between the soft tissue of the face and the ... of the dentition and the faces 391 (43)
Sagittal split osteotomy
Assessment of the airway space adaptation to mandibular setback using ... 319 (17)
Sagittal relationship
Cephalometric assessment of ... between maxilla and mandible 77 (18)
Samarium-cobalt magnets
Force stability and biocompatibility of new and recycled orthodontic ... 407 (106)
Screw plate treatment
Autoactivation of labial arch wires during ... 381 (2)
Sensory thresholds
... of orthdontically treated teeth 381 (4)
Severe dental wear
Vertical height changes in subjects with ... 326 (45)
Shape Analytical Morphometry
Topographic distribution of shape changes due to orthodontic treatment detected by ... 396 (61)
Shape asymmetry
... detection by analytical morphometry 396 (62)
Shape changes
Topographic distribution of ... due to orthodontic treatment detected by S.A.M. 396 (61)
Shear bond strengths
Comparative ... of some orthodontic bonding resins to bovine enamel 407 (105)
... of light-activated orthodontic resins to etched enamel 76 (14)
Shear/peal bond strengths
Effect of adhesive thickness of ... of ceramic brackets 407 (104)
Silane-coated metal bracket bases
Retention of the ... 83 (43)

Silent period
Electromyographic analysis of the ... in chin cup therapy 387 (27)
Skeletal asymmetries
Altered mandibular function and prevention of ... after unilateral condylectomy 331 (65)
Skeletal changes
... by conventional and fixed functional appliances 80 (31)
Skeletal Class III
Flow chart of orthodontic-surgical approaches on ... with TMJ dysfunction 317 (10)
Treatment by combined orthodontic and surgical procedures of ... 389 (35)
Skeletal features
... of high-angle cases with and without anterior open-bite 78 (22)
Skeletal open bite cases
Treatment of ... with the Bionator 405 (97)
Treatment of ... with two types of bite-blocks 326 (48)
Skeletal vertical dimension
Mentoplasty and ... 319 (18)
Sleep apnoea syndrome
Functional adaptation of natural head posture and hyoid bone in ... 325 (43)
SNA angle
A midface ration as an alternative to ... 395 (59)
Soft tissue facial profile characteristics
... in young Turkish adults 393 (49)
Soft tissue changes
... in Class III patients treated with reverse headgear 405 (98)
Soft tissue profile
Forensic estimation of the ... by local-area polar coordinates 395 (57)
Presurgical prognosis of the ... 389 (34)
Soft tissues
The interaction between the ... covering the face and the sagittal morphology of the dentition and the faces 391 (43)
Speed self-litigating appliance
A radiographic comparison of root resorption with conventional Edgewise and ... 409 (114)
Spinal treatment
Influence of ... on lower jaw position 400 (76)
Spiral CT technique
... — a new help in orthodontic diagnosis 396 (60)
Stability
Long term evaluation of ... in Class III patients 321 (26)
Long-term ... of orthodontically corrected rotated teeth 386 (21)
... of Class III malocclusions treated by a non-extraction technique 387 (28)
Statistical evaluation
... of TMJ surgical treatment in condylo-discal incoordination 390 (37)
Stereophoto
Class II-treatment with intermaxillary traction, evaluated with the help of ... 73 (2)
Stereophotogrammetric analysis
... of facial asymmetry in CLP-children 315 (4)
Straight-wire
A comparison of the ... and Burstone arch levelling techniques in adult patients 80 (29)
Strapping
... as a method of presurgical treatment in cleft lip and palate subjects 76 (16)
Streptococcus mutans
Increased ... during orthodontic therapy with fixed appliances 77 (17)
Subgingival flora
Dark field microscopy of ... before, during and after treatment with fixed appliances 83 (41)
Sucking habits
... and posterior crossbite in 3-year olds 384 (15)
Supernumerary teeth
Late development of ... in cleidocranial dysplasia 82 (38)
Supraforaminal osteotomy
The high ... of the mandible 389 (36)
Surgical correction
Facial asymmetries. Late ... 401 (83)
Surgical-orthodontic treatment
... of deformity secondary to unilateral TMJ ankylosis in childhood 317 (11)
Surgical planning
Errors in ... in orthognathic surgery 316 (6)

Temporomandibular joint
Radiological signs of rheumatoid arthritis in the ... 401 (80)
Remodelling of the ... 399 (75)
Three-dimensional models of the ... with data from CT and MRT 398 (71)
Temporomandibular joint alterations
Tomographic evaluation of ... after Le Fort I osteotomies 400 (78)
Temporomandibular joint ankylosis
Surgical-orthodontic treatment of deformity secondary to unilateral ... in childhood 317 (11)
Temporomandibular joint dysfunction
Flow-chart of orthodontic-surgical approaches on skeletal Class III with ... 317 (10)
Prevalence of ... symptoms and its relationship to occlusal features in adolescent girls 399 (74)
Temporomandibular joint dysfunctional patients
Central and peripheral drive of the trigeminal motor system on ... 400 (79)
Temporomandibular joint evaluation
Long-term ... on Class III patients 388 (29)
Temporomandibular joint function
... in subjects with perfect occlusion 330 (62)
Temporomandibular joint patients
Differential diagnosis between real asymmetry and mandibular shift in ... by analytical morphometry 330 (64)
Temporomandibular joint surgical treatment
Statistical evaluation of ... in condylo-discal incoordination 390 (37)
Temporomandibular joint tissues
Oxytalan fibres in ... in rats and dogs 399 (73)
Teuscher appliance
The comparison of ... with other appliances 329 (58)
TGF-beta
Influence of ... on the development of the foetal skeleton 315 (3)
3D-CT skull models
Treatment prediction with model surgery in ... 388 (32)
Three-dimensional models
... of the TMJ with data from CT and MRT 398 (71)
Tibia
Blood flow changes in the ... during external loading 410 (118)

Tongue
B-mode ultrasound scanning of the ... at rest and during swallowing 328 (55)
Position of the human ... during prenatal palatal closure 392 (45)
Tooth development
Comparative study of the ... of undernourished and normal Chilean children 398 (68)
Tooth disturbances
Genetic factors behind ectopic eruption and ... 398 (70)
Transgenic mice
Craniofacial anomalies in ... with mutations in the type II collagen gene 82 (37)
Transmigration
... of mandibular permanent canine 398 (69)
Transverse dentofacial structures
... of unilateral cleft lip and palate in young adult males 388 (30)
Traumatic loss of incisors
Orthodontic space-closure in cases of ... 404 (92)
Treatment planning
The significance of inclination of the facies lateralis of the maxilla for ... in orthognathic surgery 317 (9)
Treatment prediction
... with model surgery in 3D-CT skull models 388 (32)
Treatment priority ranking
A 10 grade-scale for ... 319 (20)
Treatment regimes
Craniofacial development in cleft lip and palate children related to different ... 318 (13)
Trigeminal motor system
Central and peripheral drive of the ... on TMJ dysfunctional patients 400 (79)
Twins
Post-stimulus EMG complexes in ... to evaluate the heritability of craniofacial functional components 325 (42)
Type II collagen gene
Craniofacial anomalies in transgenic mice with mutations in the ... 82 (37)
U-Bugel functional appliance
A comparative efficiency investigation of the ... in the treatment of distal occlusion with excessive overjet 409 (112)
Unilateral condylectomy
Altered mandibular function and prevention of skeletal asymmetries after ... 331 (65)
Upper airway obstruction
The effect of ... on craniocervical posture in OSAS patients 75 (12)
Vertical dimension deficiency
The management of the ... with a distraction appliance 326 (46)
Vertical facial excess
Magnetic appliances to correct ... 327 (49)
Vertical height changes
... in subjects with severe dental wear 326 (45)
Vertical overbite
Severe ... enhances loss of alveolar bone support 329 (57)
Vertical skeletal changes
... in Andresen therapy and cervical traction 391 (40)
Widemann–Beckwith Syndrome
Orthognathodontic treatment in a case of ... 403 (88)

Author entries

Adolfsson, U., Lindqvist, B., Olsson, M. and Welander, U.
Class II-treatment with intermaxillary traction, evaluated with the help of cephalometrics and stereophoto 73 (2)
Ahlgren, J. see Stavridi, R.
Akin, N.
The differences in the changes of the profile 81 (35)
Akin, N. see also Nergiz, I.
Aksoy, A., Ciger, S. and Aras, K.
The evaluation of Herbst appliance therapy: a five year follow-up 81 (34)
Aksoy, A. Ü. see also Enacar, A.
Alexandridis, K. see Tsolakis, A. I.
Ali Darendeliler, M. and Strahm, C.
Maxillary expansion with magnetic forces 327 (50)
Alpar, R. see Telli, A. E.
Altug, Z. and Özdiler, E.
A comparative efficiency investigation of the Begg and Edgewise fixed mechanic techniques, activator and U-Bugel functional appliances in the treament of distal occlusion with excessive overjet 409 (112)
Alvesalo, L. see Pirttiniemi, P.
Anderson, A. see Yen, E. H. K.
Andlin-Sobocki, A., Eliasson, L-Å. and Paulin, G.
Periodontal evaluation of teeth in the cleft region after bone grafting in unilaterral cleft lip and palate patients 318 (15)
Aras, K. see Aksoy, A.; Bakir, S.; Demirhanoglu, M.; Enacar, A.; Soytarhan, A.
Arun, T. see Erverdi, N.
Ask, D. see Rygh, P.
Atagün, C. see Sürücü, R.
Athanasiou, A. E.
Functional implications of orthognathic surgery 318 (16)
Athansiou, A. E. and Eroglu, E.
Correlations between morphological and functional changes following orthognathic surgery 74 (8)
Athanasiou, A. E., Hack, B. and Enemark, H.
Transverse dentofacial structures of unilateral cleft lip and palate in young adult males 388 (30)
Athanasiou, A. E. see also Mavreas, D.
Attström, K. see Hägg, U.
Bach-Petersen, S. see Kjær, I.

Bacon, W., Berreur, C. L., Krieger, J. and Hildwein, M.
Functional adaptation of natural head posture (NHP) and hyoid bone (HB) in sleep apnoea syndrome (SAS) 325 (43)
de Baets, J. and Chiarini, M.
The pseudo-Class I 412 (125)
Bakir, S., Enacar, A. and Aras, K.
The comparison of the combined headgear, Harvold–Woodside activator and Teuscher appliances 329 (58)
Baldoni, M. see Salvato, A.
Balestro, G. see Miotti, F.
Bantleon, H. P. see Weiland, F.
Barbato, E. see Malagola, C.
Barenghi, A. see Mancini, E. G.
Barnes, S. A. R. see Pearson, M. H.
Barry, G. R. P.
Crystal growth on the enamel surface as an alternative to acid etching 79 (28)
Bartsch, A. see Witt, E.
Basdra, E., Schendel, K. U. and Komposch, G.
Later anterior crowding — factors of influence 321 (28)
Bassarelli, V. see Vichi, M.
Battagel, J. M.
The stability of Class III malocclusions treated by a non-extraction technique 387 (28)
Beckett, H. A. see Evans, R. D.
Beltrame, A., Favero, G. A. and Miotti, F.
Hypodontia: a combined orthodontic and prosthetic approach 404 (95)
Berardi, M. see Martina, R.
Berg, R. see Katsaros, C.
Berglund, L. see Kurol, J.
Berreur, C. L. see Bacon, W.
Bianchi, A. see Marchetti, C.
de Bie, A. C., Dermaut, L. R., de Ridder, L. and Thierens, B.
The healing of cranial defects by demineralized osseous implants: a radiographic, histological and radio-isotope study in rats 82 (40)
Biren, S. see Erverdi, N.
Bjerklin, K., Kurol, J. and Valentin, J.
Genetic factors behind ectopic eruption and tooth and developmental disturbances 398 (70)
Björnass, T., Böe, O. and Rygh, P.
Severe horizontal overjet and vertical overbite enhance loss of alveolar bone support 329 (57)
Böe, O. see Björnass, T.; Leitao, P.
Bondemark, L. and Kurol, J.
Distalisation of maxillary first and second molars simultaneously with repelling magnets 327 (51)
Bondemark, L., Kurol, J. and Wennberg, A.
Force stability and biocompatibility of new and recycled orthodontic samarium-cobalt magnets 407 (106)
Bondemark, L. see also Lindström, L. G.
Bosch, C., Melsen, B., Viidik, A. and Mosekilde, L.
Bone reaction following experimental fractures in rats 396 (63)
Boulouchou, O. see Hirschfelder, U.
Bourauel, C. see Schmuth, G. P. F.; Vardimon, A. D.
Bradburn, G. see Popisil, O. A.
Brattström, V., McWilliam, J., Larson, O. and Semb, G.
Craniofacial development in cleft lip and palate children related to different treatment regimes 318 (13)
Brattström, V. see also Hellsing, E.
Brudvik, P. see Farrell, L. E.
Bumann, A. and Dannhauer, K-H.
In vitro synthesis of collagen by human gingival and periodontal ligament cells 411 (121)
Bumann, A., Schröder, C. and Dannhauer, K-H.
Three-dimensional models of the TMJ with data from CT and MRT 398 (71)
Bumann, A., Schröder, C., Melchert, U. and Dannhauer, K-H.
The diagnosis of craniomandibular disorders using dynamic MRI (DMRI) 399 (72)
Bumann, A. see also Kopp, S.
Burger, E. H. see Scheijmans, C. M-J.

Calderini, A., Farronato, G. P., Parazzoli, E. and Rizzi, F.
Orthognathodontic treatment in a case of Widemann–Beckwith Syndrome (WBS) 403 (88)
Calore, A. see Zulian, F.
Calza, M. see Cozzani, G.; Cozzani, M.
Canut, J. A. and Plasencia, E.
Lower incisor extractions: long-term evaluation of results 330 (61)
Caprioglio, C. see Caprioglio, D.
Caprioglio, D., Falconi, P. and Caprioglio, C.
Dental trauma: the utilization of orthodontic splint in the reimplantation of the teeth 323 (36)
Caprioglio, D. see also Falconi, P.
Capurso, U. and Garino, G. B.
Flow-chart of orthodontic-surgical approaches on skeletal Class III with TMJ dysfunction 317 (10)
Carels, C. E. L., Lauweryns, I., Vlietinck, R. and van Steenberghe, D.
Post-stimulus EMG complexes in monozygotic and dizygotic twins to evaluate the heritability of craniofacial functional components 325 (42)
Carels, C. E. L. see also Jorissen, E. L. P.; Verdonck, A. Y. G.
Cascone, P., di Paolo, C. and Iannetti, G.
Statistical evaluation of TMJ surgical treatment in condylo-discal incoordination 390 (37)
Celik, H. see Telli, A. E.
Ceresola, G. see Ciancaglini, R.
Chan, C. K., Tng, T. H., Hägg, U. and Cooke, M. S.
Reliability of cephalometric landmarks 393 (50)
Chan, C. K. see also Cooke, M. S.; Hägg, U.; Lau, P. Y. W.; Tng, T. H.
Cheung, L. K., Samman, N., Tideman, H., Hägg, U. and So, L.
Osteotomies of the maxilla with residual clefts: analysis of 35 cases 318 (14)
Chiarini, M. see de Baets, J.
Chiarotti, F. see Malagola, C.
Christensen, L. R., Kjær, I. and Græm, N.
Human foetal tooth development related to cranial base development 392 (46)
Ciancaglini, R., Pasero, F., Sgarzini, P. and Ceresola, G.
Electromyographic and cephalometric evaluation of facial asymmetry 402 (84)
Ciger, S. see Aksoy, A.
Clauser, C. see Cozzani, G.; Rosa, M.
Cocchi, R. see Marchetti, C.
Colasanto, S. see Frisardi, G.
Cooke, M. S., Tng, T. H., Chan, C. K. and Hägg, U.

Effect of head posture on cephalometric landmark location 83 (44)
Cooke, M. S. see also Chan, C. K.; Hägg, U.; Lau, P. Y. W.; Tng, T. H.
Cordaro, M. see Standoli, L.
Cozza, P., Sciarretta, M. G. and Terranova, S.
Difficult impaction 411 (122)
Cozzani, G., Cozzani, M., Rosa, M. and Manni, A.
Long-term evaluation of lower incisor proclination 385 (20)
Cozzani, G. see also Cozzani, M.; Rosa, M.
Cozzani, M., Cozzani, G., Calza, M. and Rosa, M.
Long term evaluation of stability in Class III patients 321 (26)
Cozzani, M. see also Cozzani, G.
de Crombrugghe, B. see Rönning, O.
Crothers, A. and Sandham, A.
Vertical height changes in subjects with severe dental wear 326 (45)

Dal Maschio, A. see Mancini, E. G.
Dannhauer, K-H. see Bumann, A.
Davies, E. H. see Winchester, L. J.
De Bie, A. C. and Dermaut, L. R.
The healing of cranial defects by demineralized osseous implants: a radiographic histological and radio-isotope study in rats 381 (3)
Delfino, V. P. see Ditolve, P.
Deli, G. see Deli, R.
Deli, R., Deli, G., Grippaudo, C. and Giuliante, L.
Oxytalan fibres in temporomandibular joint tissues in rats and dogs 399 (73)
Deli, R., Deli, G., Grippaudo, C. and Ursin, R.
Nasal obstruction and craniofacial growth 76 (15)
Deli, R., Grippaudo, C. and Ursin, R.
Asymmetrical pads and arch form development 402 (85)
Demeulemeester, N. S. and de Smit, A.
A CT-scan lateral radiograph combined point location in three-dimensions 394 (55)
Demirhanoğlu, M., Enacar, A. and Aras, K.
The implications and stability of bite-opening mechanisms of deepbite cases via Edgewise mechanotherapy 79 (27)
Demirhanoğlu, M. see also Enacar, A.; Telli, A. E.
Dermaut, L. M. see Trimpeneers, L. M.
Dermaut, L. R. see de Bie, A. C.
Derringer, K.
Vertical skeletal changes in Andresen therapy and cervical traction 391 (40)
Dessi, S. see Oddini Carbini, S.
Diedrich, P. R. see Fuhrmann, R. A. W.
Dieudonne, S. see Scheijmans, C. M-J.
Di Gioia, M. see Ditolve, P.
Dinçer, M. see İscan, N. H.
Ditolve, P., Ricco, R., Potente, F., Vacca, E., Di Gioia, M. and Delfino, V. P.
Shape asymmetry detection by analytical morphometry 396 (62)
Ditolve, P., Ricco, R., Vacca, E., Potente, F., di Gioia, M. and Delfino, V. P.
Topographic distribution of shape changes due to orthodontic treatment detected by S.A.M. (Shape Analytical Morphometry) 396 (61)
Ditolve, P., Ricco, R., Vacca, E., Potente, F., di Gioia, M. and Pesce Delfino, V. P.
Differential diagnosis between real asymmetry and mandibular shift in TMJ patients by analytical morphometry 330 (64)
Doll, G. see Ruppenthal, Th.
Drescher, D., Schmuth, G. P. F., Macedo, C., Ghavami, C. and Neyt, L.
Presurgical prognosis of the soft tissue profile — a new computerized method 389 (34)
Drescher, D. see also Schmuth, G. P. F.; Vardimon, A. D.
Droschl, H. see Weiland, F.

Eckardt, L., Harzer, W. and Wießner, K.
Quantitative analysis of muscle function, studied with computertomography, electromyography and mechanical force measurement 326 (47)
Eckhardt, L. see Harzer, W.
Eismann, D. and Teichmann, A.
Threshold value for fixing the need for treatment by the Eismann method 320 (21)
Eliasson, L. A.
Influence on prognathism of the maxilla from cranial base flexion and midface dimensions 392 (47)
Eliasson, L. Å. and Gelfgren, J.
Two roentgencephalometric landmarks in the maxilla adjacent to the incisive canal as alternatives to point A 79 (26)
Eliasson, L. Å. and Welander, U.
A midface ratio as an alternative to the SNA angle 395 (59)
Eliasson, L. Å. see also Andlin-Sobocki, A.
Eliasson, S. see Levander, E.
Enacar, A., Aksoy, A. Ü., Sençift, Y. and Haydar, B.
Assessment of the airway space adaptation to mandibular setback using sagittal split osteotomy 319 (17)
Enacar, A., Demirhanoğlu, M., Ozgen, M. and Aras, K.
Effects of maxillary sagittal appliance on the dento-facial system 81 (33)
Enacar, A., Özgen, M., Kocadereli, I., Hayder, B. and Şençift, Y.
Evaluation of facial profile aesthetics through application of the golden section incident to mandibular set-back surgery 73 (1)
Enacar, A. see also Bakir, S.; Demirhanoğlu, M.; Telli, A. E.
Enemark, H. see Athansiou, A. E.
Engelke, D. see Schwestaka-Polly, R.
Ercan, F. see Erverdi, N.
Eroglu, E. see Athanasiou, A. E.
Eroglu-Yücel, E. see Oktay, U.
Erverdi, N., Arun, T. and Biren, S.
The cephalometric evaluation of the crib therapy on mixed dentition overbite cases 80 (32)
Erverdi, N., Okar, I., Kuçukkeles, N. and Ercan, F.
A comparison of two different palatal expansion techniques from the point of root resorption 76 (13)
Espeland, L. V. and Stenvik, A.
Concern for dental appearance in a region with low uptake of orthodontic treatment 320 (22)
Evans, R. D. and Beckett, H. A.
Permanent retention in orthodontic patients with reduced levels of bone support: a pin stabilized resin bonded splint 404 (94)

Fadda, M. T., Natali, G. and Iannetti, G.
Orthognathic surgery and R.I.F.: stability of the mandibular ramus in 50 patients 390 (38)
Falconi, P. and Caprioglio, D.
Dental trauma: luxations of the teeth and orthodontic splinting 404 (93)
Falconi, P. see also Caprioglio, D.
Farrell, L. E., Yen, E. H. K., Brudvik, P., Rygh, P. and Suga, D. M.
Root and bone resorptive cell patterns at post-orthodontic time intervals 410 (116)
Farronato, G. P. see Calderini, A.; Gianni, E.
Fasth, A. see Kjellberg, H.
Favaretti, C. see Miotti, F.
Favero, G. A. see Beltrame, A.
Ferro, A. and Perillo, L.
The midpalatal suture expansion with personal activation: verification on a long-term basis 405 (99)
Festa, F. and Galluccio, G.
The management of the vertical dimension deficiency with a distraction appliance 326 (46)
Fischer-Brandies, H., Kluge, G. and Theusner, J.
Fluorine diffusion into the adjacent enamel from glass ionomer cement bonded attachments 406 (102)
Fisher-Brandies, H. see also Limbrock, G. J.
Flannelly, M. see Woodside, D. G.
Fleischer-Peters, A. see Hirschfelder, U.
Forsberg, C-M. see Linder-Aronson, A.
de Franco, D. J. and Gerstenfeld, L. C.
Biochemical effects of compressive forces on rat mandibular condyle *in vitro* 397 (65)
Franchi L. see Vichi, M.
Frankenhuis van den Heuvel, J. C. see Maltha, J. C.
Fricke, B. see Ruppenthal, Th.
Frisardi, G., Grippaudo, G., Longhi, V. and Colasanto, S.
Electromyographic analysis of the jaw jerk and silent period in chin cup therapy 387 (27)
Frisardi, G., Grippaudo, G., and Manzon, L.
Central and peripheral drive of the trigeminal motor system on TMJ dysfunctional patients. An electrophysiological examination 400 (79)
Frohberg, U. see Fuhrmann, R. A. W.
Fuhrmann, R. A. W. and Diedrich, P. R.
B-mode ultrasound scanning of the tongue at rest and during swallowing 328 (55)
Fuhrmann, R. A. W., Frohberg, U. and Diedrich, P. R.
Treatment prediction with model surgery in 3D-CT skull models 388 (32)
Fukamachi, H. see Saito, T.

Galluccio, G. see Festa, F.
Garino, G. B. see Capurso, U.
Garofalo, S. see Rönning, O.
Gatti Colangelo, G. see Malagola, C.
Gauch, S. see Reinhardt, R.
Gelfgren, J. see Eliasson, L. Å.
Gerstenfeld, L. C. see de Franco, D. J.
Ghafari, J., Jacobsson-Hunt, U., Markowitz, D. L., Shofer, F. S. and Laster, L. L.
Early dentitional changes in the treatment of distocclusions with Fränkel and headgear appliances 387 (26)
Ghavami, C. see Drescher, D.
Gianni, A. B., Mannucci, M. C. and Semeraro, A.
Clinical aspects and treatment of osteogenesis imperfecta. A case report 402 (87)
Gianni, A. B. see also Gianni, E.
Gianni, E., Moro, G. F., Gianni, A. B. and Farronato, G. P.
Mentoplasty and skeletal vertical dimension 319 (18)
di Gioia, M. see Ditolve, P.
Gisbertz, M. see Schmuth, G. P. F.
Giuliante, L. see Deli, R.
Gonzalez-Cuesta, F. J.
An odontometric study of the permanent dentition in a malocclusive Spanish population 397 (67)
Gonzalez-Cuesta, F. J. and Tejero, A. M.
Prediction of canine and premolar widths in the mixed dentition 397 (66)
Göz, G. and Krekeler, G.
Dark field microscopy of subgingival flora before, during and after treatment with fixed appliances 83 (41)
Göz, G. see also Sander, H.; Tobien, P.
Græm, N. see Kjær, I.; Christensen, L. R.
Gregory, M. and Matthews, B.
Sensory thresholds of orthodontically treated teeth 381 (4)
Grippaudo, C. see Deli, R.; Frisardi, G.
Grön, M. see Pirttiniemi, P.
Gröndahl, K. see Thilander, B.
Grönhöj, J., Pedersen, T. K. and Melsen, B.
Facial growth and oral function during unloading of the joints in patients with juvenile chronic arthritis 401 (81)
Guerrero, S., Müller, R. and Lipari, A.
Comparative study of the teeth development of undernourished and normal Chilean children 398 (68)
Guerrero, S. and Zulic Inta, M.
The development of the permanent teeth in Chilean children 79 (25)
Gültan, A. see İscan, N. H.

Habets, L. L. M. H. see Leunisse, M.
Hack, B. see Athanasiou, A. E.
Hagberg, C.
The alignment of permanent mandibular incisors in children: a longitudinal prospective study 385 (18)
Hägg, U. and Attström, K.
Mandibular growth estimated by four cephalometric measurements 78 (24)
Hägg, U., Chan, T., Tng, T. and Cooke, M. S.
The validity of cephalometric distances 394 (52)
Hägg, U. see also Chan C. K.; Cheung, L. K.; Cooke, M. S.; Lau, P. Y. W.; Ömblus, J.; Tng, T. H.; Wong, G. W. K.; Yip, A.
Hammarström, L. see Karsten, J.
Hansen, K. and Pancherz, H.
Long-term effects of Herbst treatment in relation to normal growth development: a cephalometric study 386 (23)
Hansen, K. see also Iemamnueisuk, P.
Haralabakis, N. B. and Toutountzakis, N. E.
The hybrid bone position in adult individuals with open bite and normal occlusion 78 (23)

Harzer, W., Eckhardt, L. and Kunath, B.
Facial morphology and functional findings in patients suffering from progressive muscle dystrophia 325 (41)
Harzer, W. see also Eckardt, L.
Hayder, B. see Enacar, A.; Telli, A. E.
Heikinheimo, K., Salmi, K. and Pirinen, S.
A 10 grade-scale for treatment priority ranking 319 (20)
Heikkinen, T. see also Pirttiniemi, P.
Hellquist, R. see Larson, M.
Hellsing, E., Brattström, V. and Strandvik, B.
Craniofacial morphology in children with cystic fibrosis 324 (38)
Hellsing, E. see also Karsten, J.
Henneberke, M. and Prahl-Andersen, B.
Multilevel models of cranial base growth for Dutch boys and girls 315 (2)
Hildwein, M. see Bacon, W.
Hille, G. see Opitz, Ch.
Hirschfelder, H. see Hirschfelder, U.
Hirschfelder, U., Boulouchou, O. and Fleischer-Peters, A.
Dento-skeletal characteristics of Class II division 2 malocclusion 390 (39)
Hirschfelder, U. and Hirschfelder, H.
Radiological signs of rheumatoid arthritis in the temporomandibular joint 401 (80)
Hirschfelder, U. and Hirschfelder, H.
Spiral CT technique — a new help in orthodontic diagnosis 396 (60)
Höltje, W-J. and Scheuer, H. A.
The peninsula-cut mandibular body osteotomy. A new concept for mandibular anterior-rotation-advancement 316 (7)
Höltje, W-J. see also Scheuer, H. A.
Houston, W. J. B. see McDonald, F.; Pearson, M. H.
Hui, K. W. see Lau, P. Y. W.

Iannetti, G. see Cascone, P.; Fadda, M. T.; Silvestri, A.
Iemamnueisuk, P. Hansen, K. and Pancherz, H.
Long-term effects of the Herbst appliance on the dental arches and arch relationships 386 (24)
In de Brackt, M. M. H. see Kuijpers-Jagtman, A. M.
Ingervall, B. see Kuster, R.
İscan, N. H., Dinçer, M. and Gültan, A.
The skeletal features of high-angle cases with and without anterior open-bite 78 (22)
Iseri, H. and Solow, B.
Individual patterns of maxillary growth rotation in girls. An implant study 391 (42)
Ishikawa, H. see Kato, Y.; Nakamura, T.

Jacobsen-Hunt, U. see Ghafari, J.
Jakobsen, J. see Madsen, J. H.
Jakobson, O. P. see Larson, M.
James, D. R. see Moss, J. P.
Jian, H. U. see Xiang, Y. Y.
Jorissen, E. L. P., Verdonck, A. Y. G., Carels, C. E. L. and van Thillo, J. V. M.
The interaction between the soft tissues covering the face and the saggital morphology of the dentition and the faces 391 (43)

Kahl, B. and Schwarze, C. W.
Oral health ten and more years after orthodontics 82 (39)
Kantomaa, T., Pirttiniemi, P. and Tuominen, M.
Maturation of progenitor cells in the mandibular condyle 322 (29)
Kantomaa, T. see also Ojala, E.; Tuominen, M.
Karsten, J., Hellsing, E. and Hammarström, L.
The effect of oestrogen on orthodontic tooth movement in rats 323 (33)
Kato, Y., Ishikawa, H., Nakamura, F. and Kobayashi, K.
Analysis of chewing rhythms in malocclusions 403 (91)
Kato, Y. see also Nakamura, T.
Katsaros, C. and Berg, R.
Anterior open-bite malocclusion: a follow-up study of orthodontic treatment effects 329 (59)
Katsavrias, E. see Tsolakis, A. I.
Kiliaridis, S. and Persson, L.
Craniofacial morphology and occlusal traits in wrestlers 325 (44)
Kiliaridis, S., Topouzelis, N., Zafriadis, A. and Kolokythas, G.
Endurance test and fatigue recovery of the masticatory muscles and their relation to facial morphology 78 (21)
Kiliaridis, S. see also Kjellberg, H.
Kingdon, A. see Pilley, J. R.
Kirschbaum, M. see Ruf, S.
Kitai, N. see Verdonck, A. Y. G.
Kjær, I., Bach-Petersen, S. and Græm, N.
Position of the human palatal bones and tongue during prenatal palatal closure 392 (45)
Kjær, I. see also Christensen, L. R.
Kjellberg, H., Fasth, A., Kiliaridis, S., Wenneberg, B. and Thilander, B.
Craniofacial morphology in children with juvenile chronic arthritis 324 (40)
Kluge, G. see Fischer-Brandies, H.
Kobayashi, K. see Kato, Y.; Nakamura, T.
Kocadereli, I. see Enacar, A.
Köklü, A. see Murat Özbek, M.
Köklü, S. O. see Schmuth, G. P. F.
Kolokythas, G. see Kiliaridis, S.
Komorowska, A.
Late development of supernumerary teeth in cleidocranial dysplasia 82 (38)
Komposch, G. see Basdra, E.; Schendel, K. U.
Kooji, H. see Saito, T.
Kopp, S., Plato, G. and Bumann, A.
Influence of spinal treatment on lower jaw position — a case report 400 (76)
Kornhauser, S. and Lewinstein, I.
Assessment of extra-oral force magnitude applied by orthodontists using cervical headgear 408 (108)
Kozelj, V.
Strapping as a method of presurgical treatment in cleft lip and palate subjects 76 (16)
Krekeler, G. see Göz, G.
Krieger, J. see Bacon, W.
Kubein-Meesenburg, D. see Schwestaka-Polly, R.
Kristiansen, A. B. see Vandevska-Radunovic, V.
Küçükkeles, N. and Sandalli, T.
Cephalometric comparison of two different functional appliances: Herbst versus activator 408 (111)
Kuçukkeles, N. see also Erverdi, N.
Kuijpers-Jagtman, A. M., In de Braekt, M. M. H. and Maltha, J. C.
Use of poly-(L-lactic) acid membrane in palatal surgery in dogs 388 (31)
Kuijpers-Jagtman, A. M. see also Maltha, J. C.

Kuitert, R. B., Van Ginkel, F. and Prah'- Andersen, B.
Long-term stability of orthodontically corrected rotated teeth 386 (21)
Kunath, B. see Harzer, W.
Kuriama, R. see Verdonck, A. Y. G.
Kurol, J. and Berglund, L.
Longitudinal study and cost-benefit analysis of the effect of early treatment on posterior crossbites in the primary dentition 385 (17)
Kurol, J. see also Bjerklin, K.; Bondemark, L.; Lindström, L. G.
Kuster, R. and Ingervall, B.
Treatment of skeletal open bite with two types of bite-blocks 326 (48)*Kuwahara, Y.* see Tsurata, M.
Kvinnsland, V. see Vandevska-Radunovic, V.
Kyuhachiro, S. see Saito, T.

Laine, T. M. and Pahkala, R.
Occlusal variation in 5–15 year old children 77 (20)
Laine, T. see Pahkala, R.
Laino, A. see Martino, R.
Lammens, N. see de Smit, A.
Larson, M., Hellquist, R. and Jakobsson, O. P.
Morphological classification of CLP deformities at Uppsala cleft palate centre 412 (123)
Larson, O. see Brattström, V.
Larsson, E., Ogaard, B. and Lindsten, R.
Sucking habits and posterior crossbite in 3-year olds 384 (15)
Laster, L. L. see Ghafari, J.
Lau, P. Y. W., Hägg, U., Cooke, M. S., Chan, C. K., Chan, S. C. and Hui, K. W.
Comparative cephalometric errors 393 (51)
Lauweryns, I. see Carels, C. E. L.
Leitao, P., Wisth, P. J. and Böe, O. E.
Prevalence of malocclusion in 12-year-old school children of Lisbon 382 (5)
Lekholm, U. see Thilander, B.
Lennartsson, B. see Thilander, B.
Leunisse, M., Ras, F., Habets, L. L. M. H. and Prahl-Andersen, B.
Stereophotogrammetric analysis of facial asymmetry in CLP-children 315 (4)
Levander, E., Malmgren, O. and Eliasson, S.
Evaluation of root resorption in relation to two different treatment regimes 409 (115)
Lewinstein, I. see Kornhauser, S.
Limbrock, G. J., Fisher-Brandies, H. and Weinfurthner, K.
Results of orofacial regulation therapy according to Castillo–Morales in children with cerebral palsy 403 (89)
Linder-Aronson, A., Lindskog, S., Rygh, P. and Forsberg, C-M.
Orthodontic magnets: an update on biological effects 328 (53)
Lindqvist, B. see Adolfsson, U.
Lindskog, S. see Linder-Aronson, A.
Lindsten, R. see Larsson, E.
Lindström, L. G., Bondemark, L. and Kurol, J.
Aspects of patient management in orthodontic care 383 (11)
Linney, A. D. see Moss, J. P.
Lipari, A. see Guerrero, S.
Longhi, V. see Frisardi, G.
Lundström, F. and Lundström, A.
Natural head posture (NHP) as a basis for cephalometric analysis 393 (48)
Lundström, A. see also Lundström, F.

Macedo, C. see Drescher, D.
Macri, V. and Wenzel, A.
The reliability of landmark location on digital lateral cephalograms 394 (54)
Madsen, J. H., Solow, B., Sarnäs, K-V. and Jakobsen, J.
Forensic estimation of the soft tissue profile by local-area polar coordinates 395 (57)
Magni, F.
Asymmetry: the exception or the rule? Orthodontic finishing procedures 330 (63)
Malagola, C., Barbato, E., Chiarotti, F. and Gatti Colangelo, G.
The influence of cervical headgear on natural head posture 408 (109)
Malmgren, O. see Levander, E.; Ömblus, O.
Maltha, J. C., Kuijpers-Jagtman, A. M. and Frankenhuis van den Heuvel, T. H. M.
Migration of the periosteum along the growing mandible in the rabbit 323 (34)
Maltha, J. C. see also Kuijpers-Jagtman, A. M.
Mancini, E. G., Barenghi, A., Dal Maschio, A. and Salvato, A.
Use of digital radiology in orthodontic roentgenencephalography 328 (54)
Manni, A. see Cozzani, G.
Mannuci, M. C. see Gianni, A. B.
Manzon, L. see Frisardi, G.
Marchetti, C., Cocchi, R. and Bianchi, A.
Rigid fixation in maxillo-facial surgery: our experience 316 (8)
Marklund, M. see Ransjö, M.
Markowitz, D. L. see Ghafari, J.
Martina, R., Laino, A. and Berardi, M.
External root resorption on the first human molars and premolars following rapid maxillary expansion (RME). A scanning electron microscope study 323 (35)
Martina, R., Rossi, I. and Puca, R.
Class II elastics influence on occlusal plane orientation 321 (27)
Matthews, B. see Gregory, M.
Mavreas, D. and Athanasiou, A. E.
Tomographic evaluation of TMJ alterations after Le Fort I osteotomies 400 (78)
Mazeland, G. R. J. and Wassenberg, H. J. W.
Premature loss and its long-term effect on dental and facial development 384 (14)
McDonald, F. and Houston, W. J. B.
Mechanical deformation influencing the distribution of ions across the osteocyte membrane 322 (31)
McDonald, F. and Pitt Ford, T. R.
Blood flow changes in the permanent maxillary canines during retraction 410 (117)
McDonald, F. and Pitt Ford, T. R.
Blood flow changes in the tibia during external loading 410 (118)
McWilliam, J. see Brattström, V.
Melchert, U. see Bumann, A.
Melsen, B. see Bosch, C.; Grönhöj, J.
Merrill, R. M. see Nanda, R. S.
Metsäranta, M. see Rönning, O.
Miotti, A. see Miotti, F.
Miotti, F., Balestro, G. and Miotti, A.
Index of Orthodontic Treatment Need (IOTN): evaluation at two age levels 383 (9)

Miotti, F., Favaretti, C. and Poletto, P.
Oral health knowledge in the parents of orthodontic patients 383 (12)
Miotti, F. see also Beltrame, A.; Zulian, F.
Mlynarska-Zduniak, E. see Piekarczyk, B.
Mohlin, B. see Pilley, J. R.
Moors, M. G. see Trimpeneers, L. M.
Moro, G. F. see Gianni, E.
Mosekilde, L. see Bosch, C.
Moss, J. P. and James, D. R.
Advances in orthognathic surgery 316 (5)
Moss, J. P., Wright, W. R. and Linney, A. D.
A three-dimensional analysis of ten Class II/1 patients following bimaxillary surgery 77 (19)
Müller, R. see Guerrero, S.
Murat Özbek, M. and Köklü, A.
Natural cervical inclination and craniofacial morphology 391 (41)

Nakamura, F. see Kato, Y.
Nakamura, T., Ishikawa, H., Kato, Y. and Kobayashi, K.
Changes of chewing movements in Angle Class I malocclusions after orthodontic treatment 384 (13)
Nanda, R. S. and Merrill, R. M.
Cephalometric assessment of sagittal relationship between maxilla and mandible 77 (18)
Natali, G. see Fadda, M. T.
Nergiz, I. and Akin, N.
Retention of the silane-coated metal bracket bases 83 (43)
Nergiz, I. and Akin, N.
Bond strength of 15 different adhesives: an *in vitro* study 406 (100)
Neyt, L. see Drescher, D.

Oddini Carboni, S., Dessi, S. and Ronchin, M.
An eight year longitudinal study of TMJ function in 20 subjects with perfect occlusion 330 (62)
Ödman, J. see Thilander, B.
Ogaard, B. see Larsson, E.
Ojala, E. and Kantomaa, T.
Mandibular incisor crowding — early incisor extraction 385 (19)
Okar, I. see Erverdi, N.
Oktay, U. and Eroglu-Yücel, E.
Establishment of floating norms based on the interaction pattern present between the components of craniofacial complex 382 (6)
Olsson, M. see Adolfsson, U.
Ömblus, J., Malmgren, O. and Hägg, U.
Treatment with an orthopaedic appliance in relation to age and growth periods 407 (107)
Opitz, Ch., Shetty, D. K. and Hille, G.
Surgical timing of cleft palate repair — a comparative study 412 (124)
Osborne, R. see Pirttiniemi, P.
Ovesen, J. see Solow, B.
Özdiler, E. see Altug, Z.
Özgen, M. see Enacar, A.
Özlem, S., Serpil, H. and Servet, D.
The evaluation of enamel loss due to bonding attachments with a glass ionomer cement 406 (101)

Pahkala, R. and Laine, T.
Eruption pattern of permanent teeth in 1008 5–15 year old children and adolescents 74 (7)
Pahkala, R. see also Laine, T. M.
Pancherz, H. see Hansen, K.; Iemamnueisuk, P.; Ruf, S.; Rybczynski, S.
di Paolo, G. see Cascone, P.
Papaioannou-Maragou, O.
Soft tissue changes in Class III patients treated with reverse headgear 405 (98)
Parazzoli, E. see Calderini, A.
Pasero, F. see Ciancaglini, R.
Paulin, G. see Andlin-Sobocki, A.
Pauls, H-J.
Orthodontic space-closure in cases of congenital absence or traumatic loss of incisors in adolescent and adult patients 404 (92)
Paulsen, H. U.,Andreasen, J. O. and Schwartz, O.
Pulp survival, periodontal healing and root development of autotransplanted premolars in orthodontic treatment 324 (37)
Pearson, M. H., Pledger, D., Barnes, S. A. R., Rönning, O. and Houston, W. J. B.
Facial growth in juvenile rheumatoid arthritis 324 (39)
Pedersen, T. K. see Grönhöj, J.
Perillo, L. see Ferro, A.
Persson, L. see Kiliardis, S.
Pesce Deflino, V. see Ditolve, P.
Petrovic, A. and Stutzmann, J.
Bionator and Begg technique as mandibular tissue-level growth promoting procedures 75 (11)
Pharoah, M. see Woodside, D. G.
Piekarczyk, B., Mlynarska-Zduniak, E. and Piekarczyk, J.
Treatment by combined orthodontic and surgical procedures of skeletal Class III cases 389 (35)
Piekarczyk, J. see Piekarczyk, B.
Pietilä, I. see Pietilä, T.
Pietilä, T. and Pietilä, I.
Parents' opinion on their own child's dentition compared with a professional assessment 320 (23)
Pilley, J. R., Mohlin, B., Shaw, W. C. and Kingdon, A.
A 10 year follow-up study of craniomandibular disorders in children with malocclusion 382 (7)
Pirinen, S. see Heikinheimo, K.
Pirttiniemi, P., Alvesalo, L., Grön, M., Heikkinen, T. and Osborne, R.
The effect of difficult forceps delivery on dental arches and occlusion 402 (86)
Pirttiniemi, P. see also Kantomaa, T.; Tuominen, M.
Pitt Ford, T. R. see McDonald, F.
Plasencia, E. see Canut, J. A.
Plato, G. and Kopp, S.
Problems of the cervical spine and symptoms in head and neck 400 (77)
Plato, G. see also Kopp, S.
Pledger, D. see Pearson, M. H.
Poletto, P. see Miotti, F.
Pospieszynska, M.
Treatment results of a Class II division 1 malocclusion with jaw contraction, by means of an activator with screw 387 (25)
Pospisil, O. A. and Bradburn, G.
Errors in orthodontic and surgical planning in orthognathic surgery 316 (6)
Potente, F. see Ditolve, P.
Prahl-Andersen, B. see Henneberke, M.; Kuitert, R. B.; Leunisse, M.
Puca, R. see Martina, R.

Ransjö, M. and Marklund, M.
Bradykinin and thrombin enhance the production of prostaglandin E2 from cultured human periodontal ligament cells 75 (9)
Ras, F. see Leunisse, M.

Regueiro, L.
Orthodontic cephalometric diagnosis in Mapuches and comparatives with other Indo-American races 412 (126)
Reinhardt, R., Sergl, H. G., Gauch, S. and Weber, S.
An occlusal index — an indicator of need and outcome of orthodontic treatment 383 (10)
van Rensburg, J. see Wiltshire W. A.
Richardson, M. E.
Changes in lower third molar position in the young adult 328 (56)
Richmond, S.
A critical appraisal of orthodontic treatment in the General Dental Services of England and Wales 315 (1)
Ricco, R. see Ditolve, P.
de Ridder, I. see de Bie, A. C.
Riedmann, T. see Tobien, P.
Rintala, M. see Rönning, O.
Rizzi, F. see Calderini, A.
Roels, F. see de Smit, A.
Ronchin, M. see Oddini Carboni, S.
Rönning, O., Rintala, M., Garofalo, S., Metsäranta, M., Vuorio, E. and de Crombrugghe, B.
Craniofacial anomalies in transgenic mice with mutations in the type II collagen gene 82 (37)
Rönning, O. see also Pearson, M. H.
Rosa, M., Cozzani, G., Calza, M., Cozzani, M. and Clauser, C.
Long-term TMJ evaluation on Class III patients 388 (29)
Rosa, M. see Cozzani, G.; Cozzani, M.
Rossi, I. see Martina, R.
Ruf, S., Pancherz, H. and Kirschbaum, M.
Size and activity of the masseter muscle 381 (1)
Ruppenthal, Th., Fricke, B., Doll, G. and Sergl, H. G.
Dose reduction by application of digital luminescence radiography 395 (56)
Rutter, R. R.
Development of an individual dentition through model analysis: a longitudinal study 389 (33)
Rybczynski, S. and Pancherz, H.
Autoactivation of labial arch wires during screw plate treatment 381 (2)
Rygh, P. and Ask, D.
Treatment of young Angle Class III patients with protraction by face mask 321 (25)
Rygh, P. see Björnass, T.; Farrell, L. E.; Linder-Aronson, A.

Saatci, P. see Telli, A. E.
Saito, T., Fukamachi, H., Kooji, H. and Kyuhachiro, S.
Excitatory and inhibitory reflexes of perioral muscles elicited by mechanical stimulation to oral mucosa 75 (10)
Sakuda, M. see Verdonck, A. Y. G.
Salmi, K. see Heikinheimo, K.
Salvato, A., Baldoni, M. and Simion, M.
Dental agenesis and osseointegration 405 (96)
Salvato, A. see Mancini, E. G.
Samman, N. see Cheung, L. K.
Sandalli, T. see Küçükkeles, N.
Sander, H., Wolff, G. and Göz, G.
Mandibular prognathism — an autosomal dominant phenotype in 23 generations of 13 European noble families 73 (4)
Sandham, A. see Crothers, A.
Sarnäs, K-V. see Madsen, J. H.
Sather, A. H.
Biplanar cephalometric stereoradiography 395 (58)
Scheijmans, C. M-J., Dieudonne, S. and Burger, E. H.
Influence of growth factor (TGF-beta) on the development of the foetal skeleton 315 (3)
Schendel, K. U., Uhlemann, H. and Komposch, G.
Cultivation and characterisation of oral mucosa keratinocytes. Useful in orthodontics 411 (120)
Schendel, K. U. see Basdra, E.
Scheuer, H. A. and Höltje, W-J.
The high supraforaminal osteotomy of the mandible — a safe method for the mandibular nerve 389 (36)
Scheuer, H. A. see Höltje, W-J.
Schlagenhauf, U. see Tobien, P.
Schmuth, G. P. F., Vardimon, A. D., Gisbertz, M., Drescher, D., Bourauel, C. and Köklü, S. O.
Functional orthopaedic magnetic appliance (FOMA) II-spatial force analysis and clinical evaluation 327 (52)
Schmuth, G. P. F. see also Drescher, D.; Vardimon, A. D.
Schröder, C. see Bumann, A.
Schwartz, O. see Paulsen, H. U.
Schwarze, C. W. see Kahl, B.
Schwestaka-Polly, R., Engelke, D. and Kubein-Meesenburg, D.
The significance of inclination of the facies lateralis of the maxilla for treatment planning in orthognathic surgery 317 (9)
Sciarretta, M. G. see Cozza, P.
Semb, G. see Brattström, V.
Semeraro, A. see Gianni, A. B.
Sençift, Y. see Enacar, A.; Telli, A. E.
Sergl, H. G. see Reinhardt, R.; Ruppenthal, Th.
Serpil, H. see Özlem, S.
Servet, D. see Özlem, S.
Sgarzini, P. see Ciancaglini, R.
Shaw, W. C.
Quality assurance in orthodontics 319 (19)
Shaw, W. C. see also Pilley, J. R.
Sherriff, M. see Winchester, L. J.
Shetty, D. K. see Opitz, Ch.
Shofer, F. S. see Ghafari, J.
Sidhu, M. S. and Sidhu, S. S.
Skeletal and facial profile changes by conventional and fixed functional appliances — a comparative study 80 (31)
Sidhu, S. S. see Sidhu, S. M.
Silvestri, A., Spagnuolo, A. and Iannetti, G.
Hemifacial microsomia treatment during developmental age: results evaluation after 12 years of experience 317 (12)
Simion, M. see Salvato, A.
Skov, S. and Solow, B.
Hyoid bone inclination and position related to craniofacial morphology and craniocervical posture 392 (44)
de Smit, A., Roels, F. and Lammens, N.
Craniofacial typology and muscle fibre characteristics of masseter and ptyergoideus medialis muscles 403 (90)
de Smit, A. see also Demeulemeester, N. S.
So, L. see Cheung, L. K.; Wong, G. W. K.; Yip, A.
Solow, B., Ovesen, J., Würtzen Nielsen, P., Wildschiödtz, G. and Tallgren, A.
The effect of upper airway obstruction on craniocervical posture in OSAS patients 75 (12)
Solow, B. see also Iseri, H.; Madsen, J. H.; Skov, S.

Soytarhan, A., Aras, A. and Sürücü, R.
Treament of skeletal open bite cases with the Bionator 405 (97)
Soytarhan, A. see also Sürücü, R.
Spagnuolo, A. see Silvestri, A.
Spyropoulos, M. N. see Tsolakis, A. I.
Standoli, L., Cordaro, L. and Cordaro, M.
Facial asymmetries. Early orthopaedic or late surgical correction 401 (83)
Stavridi, R. and Ahlgren, J.
Muscle response to the oral-screen activator. An EMG study of the masseter, buccinator and mentalis muscles 81 (36)
van Steenberghe, D. see Carels, C. E. L.
Stenvik, A. see Espeland, L. V.; Zachrisson, B. U.
Štephanac-Papić, J. and Turley, P. K.
Fixed or removable? 80 (30)
Strahm, C. see Ali Darendeliler, M.
Strandvik, B. see Hellsing, E.
Stutzmann, J. see Petrovic, A.
Suga, D. M. see Farrell, L. E.; Yen, E. H. K.
Sürücü, R., Atagün, C. and Soytarhan, A.
The effects of intermaxillary lip bumper in cases with Class II division 1 malocclusion 409 (113)
Sürücü, R. see also Soytarhan, A.

Takada, K. see Verdonck, A. Y. G.
Tallgren, A. see Solow, B.
Tanner, R. L.
Remodelling of the temporandibular joint 399 (75)
Teichmann, A. see Eismann, D.
Tejero, A. M. see Gonzalez-Cuesta, F. J.
Telli, A. E., Celik, H., Alpar, R. and Demirhanoğlu, M.
Evaluation of the periodontal status in extraction cases 83 (42)
Telli, A. E., Celik, H., Alpar, R. and Demirhanoglu, M.
Evaluation of the periodontal status in extraction cases 386 (22)
Telli, A. E., Enacar, A. and Saatçi, P.
Alopecia areata due to combined headgear 74 (5)
Telli, A. E., Sençift, Y., Saatci, P. and Haydar, B.
Soft tissue facial profile characteristics of young Turkish adults 393 (49)
Terranova, S. see Rosa, M.
Theusner, J. see Fischer-Brandies, H.
Thierens, B. see di Bie, A. C.
Thilander, B.
The demand and reasons for orthodontic treatment in adult individuals 320 (24)
Thilander, B. and Lennartsson, B.
Factors influencing the result of early interceptive treatment in children with posterior crossbite 384 (16)
Thilander, B., Ödman, J., Gröndahl, K. and Lekholm, U.
Osseointegrated implants and the effects on dentoalveolar development and facial growth 74 (6)
Thilander, B. see also Kjellberg, H.
van Thillo, J. V. M. see Jorissen, E. L. P.
Tideman, H. see Cheung, L. K.
Tng, T. H., Chan, C. K., Hägg, U. and Cooke, M. S.
Validity of cephalometric mandibular landmarks 394 (53)
Tng, T. H. see Chan, C. K.; Cooke, M. S.; Hägg, U.
Tobien, P., Schlagenhauf, U., Riedmann, T. and Göz, G.
Increased *Streptococcus mutans* during orthodontic therapy with fixed appliances, therapeutic approaches 77 (17)
Topouzelis, N. see Kiliaridis, S.
Toutountzakis, N. E. see Haralabakis, N. B.
Trimpeneers, L. M., Verbeeck, R. M. H., Dermaut, L. M. and Moors, M. G.
Comparative shear bond strength of some orthodontic bonding resins to bovine enamel 407 (105)
Tsolakis, A. I. and Spyropoulos, M. N.
Effects of altered mandibular function on mandibular growth after condylectomy 331 (66)
Tsolakis, A. I., Spyropoulos, M. N., Alexandridis, K. and Katsavrias, E.
Altered mandibular function and prevention of skeletal asymmetries after unilateral condylectomy 331 (65)
Tsurata, M. and Kuwahara, Y.
Measurements of the periodontal blood flow by the hydrogen gas clearance method 411 (119)
Tuominen, M., Kantomaa, T. and Pirttiniemi, P.
Effect of food consistency on the shape of the articular eminence and the mandible 397 (64)
Tuominen, M. see also Kantomaa, T.
Turley, P. K. see Štephanac-Papić, J.

Uhlemann, H. see Schendel, K. U.
Ulrich, S. see Witt, E.
Ursin, R. see Deli, R.

Vacca, E. see Ditolve, P.
Valentin, J. see Bjerklin, K.
Van Ginkel, F. see Kuitert, R. B.
Vandevska-Radunovic, V., Kvinnsland, S. and Kristiansen, A. B.
Effect of experimental tooth movement on blood flow in the periodontal ligament and pulp 322 (32)
Vardimon, A. D., Bourauel, C., Drescher, D. and Schmuth, G. P. F.
Magnetic appliances to correct vertical facial excess 327 (49)
Vardimon, A. D. see also Schmuth, G. P. F.
Verbeeck, R. M. H. see Trimpeneers, L. M.
Verdonck, A. Y. G., Takada, K., Kitai, N., Kuriama, R., Yasuda, Y., Carels, C. E. L. and Sakuda, M.
Prevalence of TMJ-dysfunction symptoms and its relationship to occlusal features in adolescent girls 399 (74)
Verdonck, A. Y. G. see also Jorissen, E. L. P.
Vichi, M., Franchi, L. and Bassarelli, V.
The transmigration of the mandibular permanent canine 398 (69)
Viidik, A. see Bosch, C.
Vlietinck, R. see Carels, C. E. L.
Vuorio, E. see Rönning, O.

Wassenberg, H. J. W. see Mazeland, G. R. J.
Weber, S. see Reinhardt, R.
Weiland, F., Bantleon, H. P. and Droschl, H.
A comparison of the straight-wire and Burstone arch levelling techniques in adult patients 80 (29)
Weinfurthner, K. see Limbrock, G. J.
Welander, U. see Adolfsson, U.; Eliasson, L. A.
Wennberg, A. see Bondemark, L.

Wenneberg, B. see Kjellberg, H.
Wenzel, A. see Macri, V.
Wießner, K. see Eckardt, L.
Wildschiòdtz, G. see Solow, B.
Wiltshire, W.
Shear bond strengths of light-activated orthodontic resins to etched enamel 76 (14)
Wiltshire, W. A. and van Rensburg, J.
Early fluoride release from three light-curing orthodontic bonding resins 406 (103)
Winchester, L. J., Davies, E. H. and Sherriff, M.
Effect of adhesive thickness on shear/peal bond strengths of ceramic brackets 407 (104)
Wisth, P. J. see Leitao, P.
Witt, E., Bartsch, A. and Ulrich, S.
Retention and comprehension of information given during initial orthodontic consultations 329 (60)
Wolff, G. see Sander, H.
Wong, G. W. K., Hägg, U. and So, L.
Effects of Herbst appliance on saggital correction in southern Chinese and Swedish children 408 (110)
Woodside, D. G., Flannelly, M. and Pharoah, M.
A radiographic comparison of root resorption with conventional Edgewise and Speed self-litigating appliances 409 (114)
Wright, W. R. see Moss, J. P.
Würtzen Nielsen, P. see Solow, B.

Xiang, Y. Y. and Jian, H. U.
Surgical-orthodontic treatment of deformity secondary to unilateral TMJ ankylosis in childhood 317 (11)

Yasuda, Y. see Verdonck, A. Y. G.
Yen, E. H. K., Anderson, A. and Suga, D. M.
Intermittent and constant forces on orthodontic cell populations *in vitro* 322 (30)
Yen, E. H. K. see also Farrell, L. F.
Yip, A., So, L. and Hägg, U.
Reproducibility of the Index of Orthodontic Treatment Need (IOTN) 382 (8)

Zacchello, F. see Zulian, F.
Zachrisson, B. U. and Stenvik, A.
Fixed versus removable appliances 73 (3)
Zafriadis, A. see Kiliaridis, S.
Zulian, F., Miotti, F., Calore, A. and Zacchello, F.
Maxillo-facial abnormalities in a rare case of familial juvenile chronic arthritis 401 (82)
Zulic Inta, M. see Guerrero, S.